



**DATA**

**COMMUNICATIONS**

**NETWORKING**

**DEVICES** *Third Edition*

Gilbert Held

**Expanded public  
network  
coverage**

# CONTENTS

<b>Preface</b>	xix
<b>Acknowledgements</b>	xxi
<b>1. Fundamental Concepts</b>	
1.1 Communications System Components	1
1.2 Line Connections	2
Dedicated line	2
Leased line	2
Switched line	2
Factors to consider	3
1.3 Types of Service and Transmission Devices	4
Digital repeaters	5
Unipolar and bipolar signaling	5
Modems	6
Signal conversion	7
Acoustic couplers	7
Signal conversion	8
Analog facilities	8
DDD	8
WATS	9
FX	9
Leased lines	11
Digital facilities	13
AT&T offerings	13
European offerings	14
DSUs	15
1.4 Transmission Mode	16
Simplex transmission	16
Half-duplex transmission	17
Full-duplex transmission	17
Terminal and mainframe computer operations	18
Different character displays	20
1.5 Transmission Techniques	21
Asynchronous transmission	22
Synchronous transmission	22
1.6 Types of Transmission	23
1.7 Line Structure	25
Types of line structure	26
Point-to-point	26
Multipoint	26
	26

- 1.8 Line Discipline
- 1.9 Transmission Rate
  - Analog service
  - Digital service
- 1.10 Transmission Codes
  - Morse code
  - Baudot code
  - BCD code
  - EBCDIC code
  - ASCII code
  - Extended ASCII
  - Code conversion
- 1.11 Error Detection and Correction
  - Asynchronous transmission
    - Parity checking
    - Block checking
  - Synchronous transmission
    - Cyclic codes
- 1.12 Standards Organizations, Activities and the OSI Reference Model
  - National standards organizations
    - ANSI
    - EIA
    - FIPS
    - IEEE
    - BSI
    - CSA
  - International standards organizations
    - CCITT
    - ISO
  - De facto standards
    - AT&T compatibility
    - Cross-licensed technology
    - Bellcore
  - The ISO reference model
    - Layered architecture
    - OSI layers
    - Data flow
- 1.13 The Physical Layer: Cables, Connectors, Plugs and Jacks
  - DTE/DCE interfaces
    - Connector overview
    - RS-232
    - RS-232/V.24 limitations
    - Differential signaling
    - RS-449
    - V.35
    - RS-366-A
    - X.21 and X.20
    - X.21 bis
    - RS-530
  - Cables and connectors
    - Twisted-pair cable
    - Low-capacitance shielded cable
    - Ribbon cable
    - The RS-232 null modem
    - RS-232 cabling tricks
  - Plugs and jacks
    - Connecting arrangements
    - Permissive arrangements
    - Fixed loop arrangement
    - Programmable arrangement

Telephone options	100
Ordering the business line	101
1.14 The Data Link Layer	101
Terminal and data link protocols	102
Connection establishment and verification	103
Transmission sequence	103
Error control	104
Types of protocols	105
Teletype protocols	105
XMODEM protocol	110
XMODEM/CRC protocol	113
YMODEM and YMODEM batch protocols	113
YMODEM-G and YMODEM-G batch protocols	116
BLAST	118
Kermit	118
Bisynchronous protocols	120
DDCMP	126
Bit-oriented protocols	128
1.15 Integrated Services Digital Network	134
Concept behind ISDN	136
ISDN architecture	136
Basic access	136
Primary access	137
Other channels	138
Network characteristics	138
Terminal equipment and network interfaces	139
TE1	140
TE2	140
Terminal adapters	140
NT1	142
NT2	142
Interfaces	142
Preparing for the future	144
<b>Review Questions</b>	<b>145</b>
<b>2. Networks and Internetworking</b>	<b>149</b>
2.1 Circuit Switched Networks	149
Frequency division multiplexing	151
CCITT FDM recommendations	151
Time division multiplexing	152
T-carrier evolution	153
Channel banks	153
T1 multiplexer	154
Circuit switching characteristics	156
2.2 Packet Switching Networks	156
Multiplexing versus packet switching	156
Packet network construction	157
CCITT packet network recommendations	157
The PDN and value-added networks	157
Packet network architecture	158
Datagram packet networks	159
Virtual circuit packet networks	160
Packet formation	160
X.25	161
Packet format and content	162
Call establishment	162

- Flow control
- Advantages of PDNs
- Technological advances
- Packet network delay problems
- Fast packet switching
- Frame relay
  - Applications
- Cell relay
- 2.3 Local Area Networks
  - Origin
  - Utilization benefits
  - Technological characteristics
    - Topology
    - Transmission medium
    - Access method
  - Hardware and software requirements
    - DOS
    - Servers
  - IEEE 802 standards
  - The IBM Token-Ring network
    - Data flow
    - Network access, token and frame formats
    - Data flow example
- 2.4 Wide Area Networks
  - Transmission facilities
  - Communications equipment
    - Multiplexer utilization
- 2.5 Network Architecture and SNA
  - SNA concepts
    - SSCP
    - Network nodes
    - The physical unit
    - The logical unit
    - Multiple session capability
    - Types of physical units
    - SNA layers
    - SNA developments
- 2.6 Internetworking
  - Requirements
  - Equipment
    - Bridge
    - Router
    - Gateway

## Review Questions

- 3. **Data Transmission Equipment**
  - 3.1 Acoustic Couplers
    - US and European compatibility
    - Operation
    - Problems in usage
  - 3.2 Modems
    - Basic components
      - Modem transmitter section
      - Scramblers
      - Modulator, amplifier, and filter

Equalizer	219
Bandwidth	219
Delay distortion	222
The modulation process	223
Amplitude modulation	224
Frequency modulation	224
Phase modulation	225
Bps vs. baud	226
Voice circuit parameters	226
Combined modulation techniques	227
Other modulation techniques	229
Trellis coded modulation	230
Convolutional encoder operation	231
Echo cancellation	233
Types of modems and features	234
Mode of transmission	234
Transmission technique	234
Line use classification	235
Intelligence	236
Method of fabrication	237
Reverse and secondary channels	237
Equalization	238
Synchronization	240
Multiport capability	240
Security capability	241
Multiple speed selection capability	241
Voice/data capability	241
Modem operations and compatibility	242
300 bps	242
Echo suppression	243
Disabling echo suppressors	244
300 to 1800 bps	245
2400 bps	249
4800 bps	253
9600 bps	255
14 400 bps	261
Non-standard modems	263
Packetized ensemble protocol	265
Asymmetrical modems	267
Ping-pong modems	268
Modem handshaking	269
Modem testing and problem resolution	270
Using modem indicators	270
Modem testing	274
3.3 Intelligent Modems	278
Command sets	279
The Hayes Command Set	280
Command use	280
Result codes	282
Extended AT commands	283
Modem registers	284
Compatibility	285
Error detection and correction	286
Flow control	287
Methods of error detection and correction	290
MNP	291
LAP-M	293
Compatibility issues	296
Data compression	296
Rationale	296
MNP Class 5 compression	297

- MNP Class 7 enhanced data compression  
V.42 bis
- Synchronous dialing language
- 3.4 Multiport Modems
  - Operation
  - Selection criteria
  - Application example
  - Standard and optional features
- 3.5 Multipoint Modems
  - Factors affecting multipoint circuits
    - Response time
    - Transaction rate
    - Delay factors
  - Throughput problems
  - Multipoint modem development
  - Remote multipoint testing
- 3.6 Security Modems
  - Operation
  - Memory capacity and device access
  - Device limitations
- 3.7 Line Drivers
  - Direct connection
  - Using line drivers
  - Applications
- 3.8 Limited-Distance Modems
  - Contrasting devices
  - Transmission mediums
  - Operational features
  - Diagnostics
- 3.9 Digital Service Units
  - Comparison of facilities
  - Digital signaling
    - Unipolar non-return to zero
    - Unipolar return to zero
    - Polar non-return to zero
    - Polar return to zero
    - Bipolar non-return to zero
    - Bipolar return to zero
    - 50% bipolar waveshape
    - Bipolar violations
  - DDS structure
    - Framing formats
    - Signaling structures
    - Timing
  - Service units
    - DSU/CSU tests and indicators
    - DDS II
  - Analog extensions to DDS
  - Applications
  - KiloStream service
    - The KiloStream network
- 3.10 Channel Service Units
  - Comparison to DSU/CSU
  - North American framing
    - D4 framing
    - Extended superframe format
  - CEPT PCM-30 format
    - Frame composition

T-carrier signal characteristics	354
North America	354
Europe	356
3.11 Parallel Interface Extenders	357
Extender operation	358
Extender components	359
Application example	360
3.12 Bridges, Routers, and Gateways	360
Bridges	360
Transparent bridging	361
Source routing	362
Types of bridges	362
Applications	363
Routers	363
Types of routers	364
Bridging versus routing	368
Gateways	368
<b>Review Questions</b>	<b>371</b>
<b>4. Data Concentration Equipment</b>	<b>377</b>
<b>Equipment Sizing</b>	<b>377</b>
4.1 Multiplexers	378
Evolution	378
Comparison with other devices	378
Device support	379
Multiplexing techniques	380
Frequency division multiplexing	380
Time division multiplexing	385
Multiplexing economics	393
Mixing multiplexers	395
Statistical and intelligent multiplexers	397
Statistical frame construction	398
Flow control	400
Service ratio	401
Data source support	402
Switching and port contention	403
ITDMs	404
STDM/ITDM statistics	404
Features to consider	404
Utilization considerations	406
4.2 Group-band Multiplexers	407
Multiplexer differences	407
Group-band multiplex operation	407
Applications	408
Options	410
Group-band modems	411
4.3 T1 Multiplexers	411
The T-carrier	411
PCM	411
DS1 framing	412
Digital signal levels	413
Framing changes	413
T1 signal characteristics	414
European E1 facilities	415

- The T1 multiplexer
  - Voice digitization modules
- T1 multiplexer employment
- Features to consider
  - Bandwidth utilization
  - Bandwidth allocation
  - Voice interface support
  - Voice digitization support
  - Internodal trunk support
  - Subrate channel utilization
  - Digital access cross connect capability
  - Gateway operation support
  - Alternate routing and route generation
  - Redundancy
  - Maximum number of hops and nodes supported
  - Diagnostics
  - Configuration rules
- 4.4 Inverse Multiplexers
  - Operation
  - Typical applications
  - Contingency operations
  - Economics of use
  - Extended subchannel support
- 4.5 Packet Assembler/Disassembler
  - Applications
  - Types of PADs
  - X.3 parameters
- 4.6 Concentrators and Front-end Processors
  - Concentrators
    - Concentrator components
    - Pure contention concentrator applications
    - Store and forward message concentration
    - Message switching
    - Remote network processing
    - Down-line loading
    - Alternate routing
    - Satisfying average data transfer requirements
  - Front-end processors
    - Communications controllers
- 4.7 Modem- and Line-sharing Units
  - A similar device
  - Operation
  - Device differences
  - Sharing unit constraints
  - Economics of utilization
  - Other sharing devices
- 4.8 Port-sharing Units
  - When to consider
  - Operation and usage
  - Port-sharing as a supplement
  - Comparing cost with alternate components
    - More leased lines
- 4.9 Control Units
  - Control unit concept
  - Attachment methods
  - Unit operation
  - Protocol support
  - Breaking the closed system
    - Protocol converters

Terminal interface unit	484
4.10 Port Selectors	484
Types of devices	485
Operation	485
Computer site operations	486
Remote operations	486
Usage decisions	489
Port costs	492
Load balancing	494
Selector features	494
Line-switching network	495
<b>Review Questions</b>	497
<b>5. Redundancy and Reliability Aids</b>	503
5.1 Data Communications Switches	503
Fallback switches	504
Bypass switches	505
Crossover switch	506
Matrix switch	507
Additional derivations	508
Chaining switches	510
Switch control	511
Switching applications	512
Hot-start configuration	513
Cold-start configuration	514
Sharing a backup concentrator	515
Backup with EIA switches	515
Concentrator to central computer	517
Adding a third EIA fallback switch	517
Adding more switchable lines	519
Chaining adds options	519
Access to other lines	520
Integrating switches	520
5.2 Line Restoral Units	522
Operation	523
Problems of utilization	524
Digital line usage	525
<b>Review Questions</b>	526
<b>6. Automatic Assistance Devices</b>	527
6.1 Automatic Answering Units	527
Operation	528
Alleviating problems	528
6.2 Automatic Calling Units	529
Types of calling units	530
Utilization of calling units	530
Interfacing automatic calling units	532
Interface lead description	532
RS-232 calling unit operation	536
RS-366 interface	537
Additional calling unit applications	538

## Review Questions

### 7. Specialized Devices

#### 7.1 Security Devices

- Password shortcomings
- Password combinations
- Illicit access
- Transmission security
  - Manual techniques
  - Automated techniques
  - Access control devices

#### 7.2 Protocol Converters

- Operation
  - Physical/electrical conversion
  - Data code/speed conversion
- Conversion categories
- Device operation conversion
- Device functionality conversion
- Character versus block mode operation
- Applications

#### 7.3 Speech Plus Data Units

- Types of unit

#### 7.4 Voice Digitizers

- Pulse code modulation
- Linear predictive coding
  - LPC operations
- Voice digitizer economics
- Networking options to consider
  - Multiple voice logical channels
- Utilization problems

#### 7.5 Data Compression Performing Devices

- Compression techniques
  - Character oriented
  - Null compression
  - Run length compression
  - Pattern substitution
  - Statistical encoding
- Benefits of compression
- Using compression performing devices
  - Asynchronous data compressors
  - Multifunctional compression devices

#### 7.6 Fiber Optic Transmission Systems

- System components
  - The light source
  - Optical cables
    - Types of fibers
    - Common cable types
  - The light detector
- Other optical devices
  - Optical modem
  - Optical multiplexer
- Transmission advantages
  - Bandwidth
  - Electromagnetic non-susceptibility
  - Signal attenuation
  - Electrical hazard
  - Security

Weight and size	595
Durability	595
Limitations of use	595
Cable splicing	596
System cost	596
Utilization economics	596
Dedicated cable system	597
Multichannel cable	597
Optical multiplexers	598
<b>Review Questions</b>	<b>599</b>
<b>8. Integrating Networking Devices</b>	<b>601</b>
8.1 Inverse Multiplexing with Multiport Modems	601
Equipment operation	601
Post-installation economy	603
Cost considerations	604
Remote terminal service	607
Flexibility equals savings	608
8.2 Network Integration Problems	609
Network Integration I	609
Network Integration II	609
Network Integration III	610
<b>Appendix A. Sizing Data Communications Network Components</b>	<b>613</b>
A.1 Device Sizing	613
Sizing problem similarities	614
Telephone terminology relationships	615
The decision model	618
Traffic measurements	618
Erlangs and call-seconds	619
Grade of service	619
Route dimensioning parameters	621
Traffic dimensioning formulae	621
A.2 The Erlang Traffic Formula	622
Multiplexer sizing	623
A.3 The Poisson Formula	626
Multiplexer sizing	627
Formula comparison	629
Economic constraints	630
A.4 Applying the Equipment Sizing Process	630
<b>Appendix B. Erlang Distribution Program</b>	<b>635</b>
<b>Appendix C. Poisson Distribution Program</b>	<b>637</b>
<b>Appendix D. Multidrop Line Routing Analysis</b>	<b>639</b>
The minimum-spanning-tree technique	639
The minimum-spanning-tree algorithm	641

Minimum-spanning-tree problems

Terminal response times

Probability of transmission errors

Front-end processor limitations

Large network design

## Index