


A Complete Reference to Java's  
Essential API Packages



# JAVA<sup>TM</sup>

## *API Reference*

java.applet and java.awt API Packages

New  
Riders

2-005-15-1

2-005-15-1



# JAVA API

## REFERENCE

*Colin Fraizer*

*Jill Bond*

**New  
Riders**

New-Riders Publishing, Indianapolis, Indiana

# Table of Contents

Introduction	1
--------------	---

## Part I: java.applet API Package

1 Applet Class	9
Methods .....	9
destroy() method .....	9
getAppletContext() method .....	10
getAppletInfo() method .....	10
getAudioClip(URL) method .....	11
getAudioClip(URL, String) method .....	11
getCodeBase() method .....	12
getDocumentBase() method .....	12
getImage(URL) method .....	12
getImage(URL, String) method .....	13
getParameter(String) method .....	13
getParameterInfo() method .....	14
init() method .....	14
isActive() method .....	15
play(URL) method .....	15
play(URL, String) method .....	16
resize(Dimension) method .....	16
resize(int, int) method .....	17
setStub(AppletStub) method .....	17
showStatus(String) method .....	18
start() method .....	18
stop() method .....	19

## Part II: java.awt API Package

2 BorderLayout Class	25
Constructors .....	25
BorderLayout() constructor .....	25
BorderLayout(int, int) constructor .....	25

Methods .....	26
addLayoutComponent(String, Component) method .....	26
layoutContainer(Container) method .....	26
minimumLayoutSize(Container) method .....	27
preferredLayoutSize(Container) method .....	27
removeLayoutComponent(Component) method .....	27
toString() method .....	28
<b>3 Button Class</b> .....	<b>29</b>
Constructors .....	29
Button() constructor .....	29
Button(String) constructor .....	29
Methods .....	30
addNotify() method .....	30
getLabel() method .....	30
paramString() method .....	31
setLabel(String) method .....	31
<b>4 Canvas Class</b> .....	<b>32</b>
Constructors .....	32
Canvas() constructor .....	32
Methods .....	32
addNotify() method .....	32
paint(Graphics) method .....	33
<b>5 CardLayout Class</b> .....	<b>34</b>
Constructors .....	34
CardLayout() constructor .....	34
CardLayout(int, int) constructor .....	35
Methods .....	35
addLayoutComponent(String, Component) method .....	35
first(Container) method .....	36
last(Container) method .....	36
layoutContainer(Container) method .....	37
minimumLayoutSize(Container) method .....	37
next(Container) method .....	38
preferredLayoutSize(Container) method .....	39
previous(Container) method .....	39
removeLayoutComponent(Component) method .....	40
show(Container, String) method .....	40
toString() method .....	41

<b>6</b>	<b>Checkbox Class</b>	<b>42</b>
	Constructors .....	42
	Checkbox() constructor .....	42
	Checkbox(String) constructor .....	42
	Checkbox(String, CheckboxGroup, boolean) constructor .....	43
	Methods .....	43
	addNotify() method .....	43
	getCheckboxGroup() method .....	44
	getLabel() method .....	44
	getState() method .....	44
	paramString() method .....	45
	setCheckboxGroup(CheckboxGroup) method .....	45
	setLabel(String) method .....	46
	setState(boolean) method .....	46
<b>7</b>	<b>CheckboxGroup Class</b>	<b>48</b>
	Constructors .....	48
	CheckboxGroup() constructor .....	48
	Methods .....	48
	getCurrent() method .....	48
	setCurrent(Checkbox) method .....	49
	toString() method .....	49
<b>8</b>	<b>CheckboxMenuItem Class</b>	<b>50</b>
	Constructors .....	50
	CheckboxMenuItem(String) constructor .....	50
	Methods .....	51
	addNotify() method .....	51
	getState() method .....	51
	paramString() method .....	52
	setState(boolean) method .....	52
<b>9</b>	<b>Choice Class</b>	<b>53</b>
	Constructors .....	53
	Choice() constructor .....	53
	Methods .....	53
	addItem(String) method .....	53
	addNotify() method .....	54
	countItems() method .....	54
	getItem(int) method .....	55

getSelectedIndex() method .....	55
getSelectedItem() method .....	56
paramString() method .....	57
select(int) method .....	57
select(String) method .....	58
<b>10 Color Class</b> .....	<b>59</b>
Constructors .....	59
Color(float, float, float) constructor .....	59
Color(int) constructor .....	59
Color(int, int, int) constructor .....	60
Methods .....	60
brighter() method .....	60
darker() method .....	61
equals(Object) method .....	61
getBlue() method .....	62
getColor(String) method .....	62
getColor(String, Color) method .....	62
getColor(String, int) method .....	63
getGreen() method .....	63
getHSBColor(float, float, float) method .....	63
getRed() method .....	64
getRGB() method .....	64
hashCode() method .....	65
HSBtoRGB(float, float, float) method .....	65
RGBtoHSB method .....	65
toString() method .....	66
Variables .....	66
cyan variable .....	66
black variable .....	67
blue variable .....	67
darkGray variable .....	67
gray variable .....	67
green variable .....	68
lightGray variable .....	68
magenta variable .....	68
orange variable .....	68
pink variable .....	69
red variable .....	69
white variable .....	69
yellow variable .....	69

II	Component Class	70
	Methods	70
	action(Event, Object) method	70
	addNotify() method	71
	bounds() method	71
	checkImage(Image, ImageObserver) method	71
	checkImage(Image, int, int, ImageObserver) method	72
	createImage(ImageProducer) method	72
	createImage(int, int) method	72
	deliverEvent(Event) method	73
	disable() method	73
	enable() method	73
	enable(boolean) method	74
	getBackground() method	74
	getColorModel method	75
	getFont() method	75
	getFontMetrics(Font) method	75
	getForeground() method	76
	getGraphics() method	76
	getParent() method	77
	getPeer() method	77
	getToolkit() method	77
	gotFocus(Event, Object) method	78
	handleEvent(Event) method	78
	hide() method	80
	imageUpdate(Image, int, int, int, int, int) method	80
	inside(int, int) method	81
	invalidate() method	81
	isEnabled() method	81
	isShowing() method	82
	isValid() method	82
	isVisible() method	83
	keyDown(Event, int) method	83
	keyUp(Event, int) method	84
	Layout() method	84
	list() method	84
	list(PrintStream) method	85
	list(PrintStream, int) method	85
	locate(int, int) method	86
	location() method	86

lostFocus(Event, Object) method .....	86
minimumSize() method .....	87
mouseDown(Event, int, int) method .....	87
mouseDrag(Event, int, int) method .....	88
mouseenter(Event, int, int) method .....	88
mouseExit(Event, int, int) method .....	89
mouseMove(Event, int, int) method .....	89
mouseUp(Event, int, int) method .....	90
move(int, int) method .....	90
nextFocus() method .....	91
paint(Graphics) method .....	91
paintAll(Graphics) method .....	91
paramString() method .....	92
postEvent(Event) method .....	92
preferredSize() method .....	93
prepareImage(Image, ImageObserver) method .....	93
prepareImage(Image, int, int, ImageObserver) method .....	93
print(Graphics) method .....	94
printAll(Graphics) method .....	94
removeNotify() method .....	95
repaint() method .....	95
repaint(long) method .....	95
repaint(long, int, int, int, int) method .....	96
requestFocus() method .....	97
reshape(int, int, int, int) method .....	97
resize(Dimension) method .....	97
resize(int, int) method .....	98
setBackground(Color) method .....	98
setFont(Font) method .....	99
setForeground(Color) method .....	99
show() method .....	99
show(boolean) method .....	100
size() method .....	100
toString() method .....	101
update(Graphics) method .....	101
validate() method .....	101
<b>12 Container Class</b> .....	<b>102</b>
Methods .....	102
add(Component) method .....	102
add(Component, int) method .....	102

add(String, Component) method .....	103
addNotify() method .....	103
countComponents() method .....	104
deliverEvent(Event) method .....	104
getComponent(int) method .....	105
getComponents() method .....	105
getLayout() method .....	105
insets() method .....	106
layout() method .....	106
list(PrintStream, int) method .....	106
locate(int, int) method .....	107
minimumSize() method .....	107
paintComponents(Graphics) method .....	108
paramString() method .....	108
preferredSize() method .....	108
printComponents(Graphics) method .....	109
remove(Component) method .....	109
removeAll() method .....	109
removeNotify() method .....	110
setLayout(LayoutManager) method .....	110
validate() method .....	110
<b>13 Dialog Class .....</b>	<b>111</b>
Constructors .....	111
Dialog(Frame, boolean) constructor .....	111
Dialog(Frame, String, boolean) constructor .....	112
Methods .....	112
addNotify() method .....	112
getTitle() method .....	113
isModal() method .....	113
isResizable() method .....	113
paramString() method .....	114
setResizable(boolean) method .....	115
setTitle(String) method .....	115
<b>14 Dimension Class .....</b>	<b>116</b>
Constructors .....	116
Dimension() constructor .....	116
Dimension(Dimension) constructor .....	116
Dimension(int, int) constructor .....	117

Methods .....	117
toString() method .....	117
Variables .....	118
width variable .....	118
height variable .....	118
<b>15 Event Class</b> .....	<b>119</b>
Constructors .....	119
Event(Object, int, Object) constructor .....	119
Event(Object, long, int, int, int, int, int) constructor .....	119
Event(Object, long, int, int, int, int, int, Object) constructor .....	120
Methods .....	121
controlDown() method .....	121
metaDown() method .....	121
paramString() method .....	122
shiftDown() method .....	122
toString() method .....	123
translate(int, int) method .....	123
Variables .....	124
ACTION_EVENT variable .....	124
ALT_MASK variable .....	124
arg variable .....	124
CTRL_MASK variable .....	125
DOWN variable .....	125
END variable .....	125
ESC variable .....	125
evt variable .....	126
F1 variable .....	126
F2 variable .....	126
F3 variable .....	126
F4 variable .....	127
F5 variable .....	127
F6 variable .....	127
F7 variable .....	127
F8 variable .....	128
F9 variable .....	128
F10 variable .....	128
F11 variable .....	128
F12 variable .....	129
GOT_FOCUS variable .....	129

HOME variable .....	129
id variable .....	129
key variable .....	130
KEY ACTION variable .....	130
KEY ACTION RELEASE variable .....	130
KEY PRESS variable .....	130
KEY RELEASE variable .....	131
LEFT variable .....	131
LIST DESELECT variable .....	131
LIST SELECT variable .....	132
LOAD FILE variable .....	132
LOST FOCUS variable .....	132
META MASK variable .....	132
modifiers variable .....	133
MOUSE DOWN variable .....	133
MOUSE DRAG variable .....	133
MOUSE ENTER variable .....	134
MOUSE EXIT variable .....	134
MOUSE MOVE variable .....	134
MOUSE UP variable .....	134
PGDN variable .....	135
PGUP variable .....	135
RIGHT variable .....	135
SAVE FILE variable .....	135
SCROLL ABSOLUTE variable .....	136
SCROLL LINE DOWN variable .....	136
SCROLL LINE UP variable .....	136
SCROLL PAGE DOWN variable .....	136
SCROLL PAGE UP variable .....	137
SHIFT MASK variable .....	137
target variable .....	137
UP variable .....	138
when variable .....	138
WINDOW DEICONIFY variable .....	138
WINDOW DESTROY variable .....	138
WINDOW EXPOSE variable .....	139
WINDOW ICONIFY variable .....	139
WINDOW MOVED variable .....	139
x variable .....	139
y variable .....	140

<b>16</b>	<b>FileDialog Class</b>	<b>141</b>
	Constructors .....	141
	FileDialog(Frame, String) constructor .....	141
	FileDialog(Frame, String, int) constructor .....	141
	Methods .....	142
	addNotify() method .....	142
	getDirectory() method .....	142
	getFile() method .....	143
	getFilenameFilter() method .....	143
	getMode() method .....	143
	paramString() method .....	144
	setDirectory(String) method .....	144
	setFile(String) method .....	145
	setFilenameFilter(FilenameFilter) method .....	145
	Variables .....	146
	LOAD variable .....	146
	SAVE variable .....	146
<b>17</b>	<b>FlowLayout Class</b>	<b>147</b>
	Constructors .....	147
	FlowLayout() constructor .....	147
	FlowLayout(int) constructor .....	147
	FlowLayout(int, int, int) constructor .....	148
	Methods .....	148
	addLayoutComponent(String, Component) method .....	148
	layoutContainer(Container) method .....	149
	minimumLayoutSize(Container) method .....	149
	preferredLayoutSize(Container) method .....	149
	removeLayoutComponent(Component) method .....	150
	toString() method .....	150
	Variables .....	150
	CENTER variable .....	150
	LEFT variable .....	151
	RIGHT variable .....	151
<b>18</b>	<b>Font Class</b>	<b>152</b>
	Constructors .....	152
	Font(String, int, int) constructor .....	152
	Methods .....	153
	equals(Object) method .....	153

getFamily() method .....	153
getFont(String) method .....	154
getFont(String, Font) method .....	154
getName() method .....	155
getSize() method .....	155
getStyle() method .....	156
hashCode() method .....	156
isBold() method .....	156
isItalic() method .....	157
isPlain() method .....	157
toString() method .....	158
Variables .....	158
BOLD variable .....	158
ITALIC variable .....	158
name variable .....	159
PLAIN variable .....	159
size variable .....	159
style variable .....	159

## 19 FontMetrics Class 160

Constructors .....	160
FontMetrics(Font) constructor .....	160
Methods .....	160
bytesWidth(byte[], int, int) method .....	160
charWidth(char) method .....	161
charWidth(int) method .....	162
charsWidth(char[], int, int) method .....	162
getAscent() method .....	163
getDescent() method .....	163
getFont() method .....	164
getHeight() method .....	164
getLeading() method .....	165
getMaxAdvance() method .....	165
getMaxAscent() method .....	166
getMaxDescent() method .....	166
getWidths() method .....	167
stringWidth(String) method .....	167
toString() method .....	168
Variables .....	168
font variable .....	168

<b>20</b>	<b>Frame Class</b>	<b>169</b>
	Constructors .....	169
	Frame() constructor .....	169
	Frame(String) constructor .....	169
	Methods .....	170
	addNotify() method .....	170
	dispose() method .....	170
	getCursorType() method .....	170
	setIconImage() method .....	171
	getMenuBar() method .....	172
	getTitle() method .....	172
	isResizable() method .....	172
	paramString() method .....	173
	remove(MenuComponent) method .....	173
	setIconImage(Image) method .....	174
	setMenuBar(MenuBar) method .....	174
	setResizable(boolean) method .....	175
	setTitle(String) method .....	175
<b>21</b>	<b>Graphics Class</b>	<b>176</b>
	Constructors .....	176
	Graphics() constructor .....	176
	Methods .....	176
	clearRect(int, int, int, int) method .....	176
	clipRect(int, int, int, int) method .....	177
	copyArea(int, int, int, int, int, int) method .....	178
	create() method .....	178
	create(int, int, int, int) method .....	179
	dispose() method .....	179
	draw3DRect(int, int, int, int, boolean) method .....	180
	drawArc(int, int, int, int, int, int) method .....	180
	drawBytes(byte[], int, int, int, int) method .....	181
	drawChars(char[], int, int, int, int) method .....	182
	drawImage(Image, int, int, Color, ImageObserver) method ....	182
	drawImage(Image, int, int, ImageObserver) method .....	183
	drawImage(Image, int, int, int, int, Color, ImageObserver)	
	method .....	183
	drawImage(Image, int, int, int, int, ImageObserver) method ...	184
	drawLine(int, int, int, int) method .....	185
	drawOval(int, int, int, int) method .....	185
	drawPolygon(int[], int[], int) method .....	186

drawPolygon(Polygon) method .....	187
drawRect(int, int, int, int) method .....	187
drawRoundRect(int, int, int, int, int, int) method .....	188
drawString(String, int, int) method .....	189
fill3DRect(int, int, int, int, boolean) method .....	189
fillArc(int, int, int, int, int, int) method .....	190
fillOval(int, int, int, int) method .....	190
fillPolygon(int[], int[], int) method .....	191
fillPolygon(Polygon) method .....	191
fillRect(int, int, int, int) method .....	192
fillRoundRect(int, int, int, int, int, int) method .....	192
finalize() method .....	193
getClipRect() method .....	193
getColor() method .....	194
getFont() method .....	194
getFontMetrics() method .....	194
getFontMetrics(Font) method .....	195
setFont(Font) method .....	195
setPaintMode() method .....	196
setXORMode(Color) method .....	196
toString() method .....	197
translate(int, int) method .....	197
<b>22 GridBagConstraints Class</b> .....	<b>198</b>
Constructors .....	198
GridBagConstraints() constructor .....	198
Methods .....	198
clone() method .....	198
Variables .....	199
anchor variable .....	199
BOTH variable .....	199
CENTER variable .....	199
EAST variable .....	200
fill variable .....	200
gridheight variable .....	200
gridwidth variable .....	201
gridx variable .....	201
gridy variable .....	201
HORIZONTAL variable .....	202
insets variable .....	202

ipadx variable .....	202
ipady variable .....	203
NONE variable .....	203
NORTH variable .....	203
NORTHEAST variable .....	204
NORTHWEST variable .....	204
RELATIVE variable .....	204
REMAINDER variable .....	205
SOUTH variable .....	205
SOUTHEAST variable .....	205
SOUTHWEST variable .....	206
VERTICAL variable .....	206
weightx variable .....	206
weighty variable .....	207
WEST variable .....	207
<b>23 GridBagLayout Class</b> .....	<b>208</b>
Constructors .....	208
GridBagLayout() constructor .....	208
Methods .....	209
addLayoutComponent(String, Component) method .....	209
AdjustForGravity(GridBagConstraints, Rectangle) method ....	209
ArrangeGrid(Container) method .....	210
defaultConstraints method .....	210
DumpConstraints(GridBagConstraints) method .....	210
DumpLayoutInfo(GridBagLayoutInfo) method .....	211
getConstraints(Component) method .....	211
getLayoutDimensions() method .....	211
GetLayoutInfo(Container, int) method .....	212
getLayoutOrigin() method .....	212
getLayoutWeights() method .....	212
GetMinSize(Container, GridBagLayoutInfo) method .....	213
layoutContainer(Container) method .....	213
location(int, int) method .....	213
lookupConstraints(Component) method .....	214
minimumLayoutSize(Container) method .....	214
preferredLayoutSize(Container) method .....	214
removeLayoutComponent(Component) method .....	215
setConstraints(Component, GridBagConstraints) method .....	215
toString() method .....	216

Variables .....	216
comptable variable .....	216
MAXGRIDSIZE variable .....	217
MINSIZE variable .....	217
PREFERRED_SIZE variable .....	217
<b>24 GridLayout Class</b> .....	<b>218</b>
Constructors .....	218
GridLayout(int, in) conuctor .....	218
GridLayout(int, int, int, int) constructor .....	218
Methods .....	219
addLayoutComponent(String, Component) method .....	219
layoutContainer(Container) method .....	219
minimumLayoutSize(Container) method .....	220
preferredLayoutSize(Container) method .....	220
removeLayoutComponent(Component) method .....	220
toString() method .....	221
<b>25 Image Class</b> .....	<b>222</b>
Methods .....	222
flush() method .....	222
getGraphics() method .....	222
getHeight(ImageObserver) method .....	223
getProperty(String, ImageObserver) property method .....	223
getSource() method .....	224
getWidth(ImageObserver) method .....	224
Variables .....	224
UndefinedProperty variable .....	224
<b>26 Insets Class</b> .....	<b>225</b>
Constructors .....	225
Insets(int, int, int, int) constructor .....	225
Methods .....	225
clone() method .....	225
toString() method .....	226
Variables .....	226
bottom variable .....	226
left variable .....	226
right variable .....	227
top variable .....	227

<b>27</b>	<b>Label Class</b>	<b>228</b>
	Constructors .....	228
	Label() constructor .....	228
	Label(String) constructor .....	228
	Label(String, int) constructor .....	229
	Methods .....	229
	addNotify() method .....	229
	getAlignment() method .....	229
	getText() method .....	230
	paramString() method .....	230
	setAlignment(int) method .....	230
	setText(String) method .....	230
	Variables .....	231
	CENTER variable .....	231
	LEFT variable .....	231
	RIGHT variable .....	231
<b>28</b>	<b>List Class</b>	<b>232</b>
	Constructors .....	232
	List() constructor .....	232
	List(int, boolean) constructor .....	232
	Methods .....	233
	addItem(String) method .....	233
	addItem(String, int) method .....	234
	addNotify() method .....	234
	allowsMultipleSelections() method .....	235
	clear() method .....	235
	countItems() method .....	236
	delItem(int) method .....	236
	delItems(int, int) method .....	237
	deselect(int) method .....	237
	getItem(int) method .....	238
	getRows() method .....	238
	getSelectedIndex() method .....	239
	getSelectedIndexes() method .....	239
	getSelectedItem() method .....	240
	getSelectedItems() method .....	240
	getVisibleIndex() method .....	241
	isSelected(int) method .....	241

makeVisible(int) method .....	242
minimumSize() method .....	242
minimumSize(int) method .....	243
paramString() method .....	243
preferredSize() method .....	244
preferredSize(int) method .....	244
removeNotify() method .....	245
replaceItem(String, int) method .....	245
select(int) method .....	246
setMultipleSelections(boolean) method .....	246
<b>29 MediaTracker Class</b> .....	<b>247</b>
Constructors .....	247
MediaTracker(Component) constructor .....	247
Methods .....	248
addImage(Image, int) method .....	248
addImage(Image, int, int, int) method .....	248
checkAll() method .....	249
checkAll(boolean) method .....	249
checkID(int) method .....	250
checkID(int id, boolean load) method .....	251
getErrorsAny() method .....	251
getErrorsID(int) method .....	252
isErrorAny() method .....	253
isErrorID(int) method .....	253
statusAll(boolean) method .....	254
statusID(int, boolean) method .....	254
waitAll() method .....	255
waitAll(long) method .....	255
waitID(int) method .....	256
waitID(int, long) method .....	257
Variables .....	257
ABORTED variable .....	257
COMPLETE variable .....	258
ERRORED variable .....	258
LOADING variable .....	258
<b>30 Menu Class</b> .....	<b>259</b>
Constructors .....	259
Menu(String) constructor .....	259

Menu(String, boolean) constructor .....	259
Methods .....	260
add(MenuItem) method .....	260
add(String) method .....	260
addNotify() method .....	261
addSeparator() method .....	261
countItems() method .....	262
getItem(int) method .....	262
isTearOff() method .....	263
remove(int) method .....	263
remove(MenuComponent) method .....	264
removeNotify() method .....	264
<b>31 MenuBar Class</b> .....	<b>265</b>
Constructors .....	265
MenuBar() constructor .....	265
Methods .....	265
add(Menu) method .....	265
addNotify() method .....	266
countMenus() method .....	266
getHelpMenu() method .....	267
getMenu(int) method .....	267
remove(int) method .....	267
remove(MenuComponent) method .....	268
removeNotify() method .....	268
setHelpMenu(Menu) method .....	268
<b>32 MenuComponent Class</b> .....	<b>269</b>
Constructors .....	269
MenuComponent() constructor .....	269
Methods .....	269
getFont() method .....	269
getParent() method .....	270
getPeer() method .....	271
paramString() method .....	271
postEvent(Event) method .....	271
removeNotify() method .....	272
setFont(Font) method .....	272
toString() method .....	272

<b>33</b>	<b>MenuItem Class</b>	<b>273</b>
	Constructors .....	273
	MenuItem(String) constructor .....	273
	Methods .....	274
	addNotify() method .....	274
	disable() method .....	274
	enable() method .....	274
	enable(boolean) method .....	275
	getLabel() method .....	275
	isEnabled() method .....	276
	paramString() method .....	277
	setLabel(String) method .....	277
<b>34</b>	<b>Panel Class</b>	<b>278</b>
	Constructors .....	278
	Panel() constructor .....	278
	Methods .....	279
	addNotify() method .....	279
<b>35</b>	<b>Point Class</b>	<b>280</b>
	Constructors .....	280
	Point(int, int) constructor .....	280
	Methods .....	281
	equals(Object) method .....	281
	hashCode() method .....	281
	move(int, int) method .....	282
	toString() method .....	282
	translate(int, int) method .....	283
	Variables .....	283
	x variable .....	283
	y variable .....	283
<b>36</b>	<b>Polygon Class</b>	<b>284</b>
	Constructors .....	284
	Polygon() constructor .....	284
	Polygon(int[], int[], int) constructor .....	284
	Methods .....	285
	addPoint(int, int) method .....	285
	getBoundingBox() method .....	286
	inside(int, int) method .....	286

Variables .....	287
npoints variable .....	287
xpoints variable .....	287
ypoints variable .....	287
<b>37 Rectangle Class</b> .....	<b>288</b>
Constructors .....	288
Rectangle() constructor .....	288
Rectangle(Dimension) constructor .....	288
Rectangle(int, int) constructor .....	289
Rectangle(int, int, int, int) constructor .....	289
Rectangle(Point) constructor .....	290
Rectangle(Point, Dimension) constructor .....	290
Methods .....	291
add(int, int) method .....	291
add(Point) method .....	291
add(Rectangle) method .....	292
equals(Object) method .....	292
grow(int, int) method .....	293
hashCode() method .....	293
inside(int, int) method .....	293
intersection(Rectangle) method .....	294
intersects(Rectangle) method .....	294
isEmpty() method .....	294
move(int, int) method .....	295
reshape(int, int, int, int) method .....	295
resize(int, int) method .....	296
toString() method .....	296
translate(int, int) method .....	297
union(Rectangle) method .....	297
Variables .....	298
height variable .....	298
width variable .....	298
x variable .....	298
y variable .....	298
<b>38 Scrollbar Class</b> .....	<b>299</b>
Constructors .....	299
Scrollbar() constructor .....	299
Scrollbar(int) constructor .....	299
Scrollbar(int, int, int, int, int) constructor .....	300

Methods .....	300
addNotify() method .....	300
getPageIncrement() method .....	301
getLineIncrement() method .....	301
getMaximum() method .....	302
getMinimum() method .....	302
getOrientation() method .....	303
getValue() method .....	303
getVisible() method .....	304
paramString() method .....	304
setLineIncrement(int) method .....	304
setPageIncrement(int) method .....	305
setValue(int) method .....	305
setValues(int, int, int, int) method .....	306
Variables .....	306
HORIZONTAL variable .....	306
VERTICAL variable .....	307
<b>39 TextArea Class</b> .....	<b>308</b>
Constructors .....	308
TextArea() constructor .....	308
TextArea(int, int) constructor .....	308
TextArea(String) constructor .....	309
TextArea(String, int, int) constructor .....	309
Methods .....	310
addNotify() method .....	310
appendText(String) method .....	310
getColumns() method .....	310
getRows() method .....	311
insertText(String, int) method .....	311
minimumSize() method .....	312
minimumSize(int, int) method .....	312
paramString() method .....	312
preferredSize() method .....	313
preferredSize(int, int) method .....	313
replaceText(String, int, int) method .....	314
<b>40 TextComponent Class</b> .....	<b>315</b>
Methods .....	315
getSelectedText() method .....	315
getSelectionEnd() method .....	315

getSelectionStart() method .....	316
getText() method .....	316
isEditable() method .....	316
paramString() method .....	317
removeNotify() method .....	317
select(int, int) method .....	318
selectAll() method .....	318
setEditable(boolean) method .....	318
setText(String) method .....	319
<b>41 TextField Class</b> .....	<b>320</b>
Constructors .....	320
TextField() constructor .....	320
TextField(int) constructor .....	320
TextField(String) constructor .....	321
TextField(String, int) constructor .....	321
Methods .....	322
addNotify() method .....	322
echoCharIsSet() method .....	322
getColumns() method .....	323
getEchoChar() method .....	323
minimumSize() method .....	324
minimumSize(int) method .....	324
paramString() method .....	325
preferredSize() method .....	325
preferredSize(int) method .....	325
setEchoCharacter(char) method .....	326
<b>42 Toolkit Class</b> .....	<b>327</b>
Methods .....	327
checkImage(Image, int, int, ImageObserver) method .....	327
createButton(Button) method .....	328
createCanvas(Canvas) method .....	329
createCheckbox(Checkbox) method .....	329
createCheckboxMenuItem(CheckboxMenuItem) method .....	329
createChoice(Choice) method .....	330
createDialog(Dialog) method .....	330
createFileDialog(FileDialog) method .....	330
createFrame(Frame) method .....	331
createImage(ImageProducer) method .....	331
createLabel(Label) method .....	331

createList(List) method .....	332
createMenu(Menu) method .....	332
createMenuBar(MenuBar) method .....	332
createMenuItem(MenuItem) method .....	333
createPanel(Panel) method .....	333
createScrollbar(Scrollbar) method .....	333
createTextArea(TextArea) method .....	334
createTextField(TextField) method .....	334
createWindow(Window) method .....	334
getColorModel() method .....	335
getDefaultToolkit() method .....	335
getFontList() method .....	335
getFontMetrics(Font) method .....	336
getImage(String) method .....	336
getImage(URL) method .....	337
getScreenResolution() method .....	337
getScreenSize() method .....	337
prepareImage(Image, int, int, ImageObserver) method .....	338
sync() method .....	338
<b>43 Window Class</b> .....	<b>339</b>
Constructors .....	339
Window(Frame) constructor .....	339
Methods .....	340
addNotify() method .....	340
dispose() method .....	340
getToolkit() method .....	341
getWarningString() method .....	341
pack() method .....	342
show() method .....	342
toBack() method .....	343
ToFront() method .....	343
<b>Index</b> .....	<b>344</b>