

ENVIRONMENTAL POLLUTION


EDITOR-IN-CHIEF

W.J. Manning

ASSOCIATE EDITORS

K.E. Havens S.V. Krupa

K.C. Jones J.W. Erisman



ENVIRONMENTAL POLLUTION

www.elsevier.com/locate/envpol

CONTENTS

Volume 144 Number 3 2006

Comment

715 Comment on "In defense of plants as biomonitors of soil quality" J. Mertens, S. Luyssaert, K. Verheyen

Invited Papers

716 Relationships between the abnormalities of the male reproductive organs and the accumulation of phenol compounds in the striped field mouse, *Apodemus agrarius*, inhabiting Korea J.-H. Kim, M.-H. Yoon, Y. Ueda, K. Honda, B.-Y. Min

Abnormalities of the male reproductive organs in the striped field mouse seem to be related to the accumulation of the phenol compounds.

726 Metals leachability from medical waste incinerator fly ash: A case study on particle size comparison S. Sukandar, K. Yasuda, M. Tanaka, I. Aoyama

As, Cd, Cr, Ni, Pb, Sn and Zn in particle size fraction of 150–106 µm of the medical waste fly ash tended to bind to Fe–Mn oxide phase.

Research Papers

736 Genotypic variations in the accumulation of Cd, Cu, Pb and Zn exhibited by six commonly grown vegetables P.D. Alexander, B.J. Alloway, A.M. Dourado

Genotypic differences between cultivars of vegetable species can be important in determining the extent of accumulation of metals from contaminated soil.

746 Degradation and toxicity of phenyltin compounds in soil G.I. Paton, W. Cheewasedtham, I.L. Marr, J.J.C. Dawson

Triphenyltin degradative metabolites cause toxic responses to biosensors.

752 Sorption, degradation and mobility of microcystins in Chinese agriculture soils: risk assessment for groundwater protection

W. Chen, L. Song, N. Gan, L. Li

The use of cyanobacterial blooms as plant fertilizer is likely to be unsafe in soils.

Acute and chronic activity of perchlorate and hexavalent chromium contamination on the survival and development of Culex quinquefasciatus Say (Diptera: Culicidae)
M.A. Sorensen, P.D. Jensen, W.E. Walton, J.T. Trumble

While pollution with hexavalent chromium may adversely affect Culex quinquefasciatus larvae, levels of perchlorate currently in the environment will not impact these insects.

765 Influence of bacteria on Pb and Zn speciation, mobility and bioavailability in soil: A laboratory study S.C. Wu, Y.M. Luo, K.C. Cheung, M.H. Wong

Influence of bacterial activities on heavy metal is two-edged.

774 Seasonal and spatial patterns of metals at a restored copper mine site. I. Stream copper and zinc D.G. Bambic, C.N. Alpers, P.G. Green, E. Fanelli, W.K. Silk

Seasonal hydrology and benthic sediments control copper and zinc concentrations in a stream through a restored mine site.

783 Seasonal and spatial patterns of metals at a restored copper mine site II. Copper in riparian soils and *Bromus carinatus* shoots W.K. Silk, D.G. Bambic, R.E. O'Dell, P.G. Green

Near a stream with acid mine drainage, soils have a steep gradient in acidity and bioavailable Cu, while plant shoots have Cu strongly dependent on developmental stage.

790 Levels of trace elements in green turtle eggs collected from Hong Kong: Evidence of risks due to selenium and nickel J.C.W. Lam, S. Tanabe, S.K.F. Chan, M.H.W. Lam, M. Martin, P.K.S. Lam

Concentrations of selenium and nickel in green turtle eggs from Hong Kong might pose some risks to the turtles.

continued on inside back cover

(Abstracted/indexed in: AGRICOLA database; Air Pollution Control Association Journal; Biological and Agricultural Index; CAB ABSTRACTS database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology & Environmental Sciences; Environment Abstracts; Environmental Periodicals Bibliography; Energy Information Abstracts; EMBASE/Excerpta Medica; Geo Abstracts; GEOBASE; Index Medicus/MEDLINE/PubMed; ISI GeoSciTech; Science Citation Index; SciSearch)

