

VOLUME 34
NUMBER 1 / NUMÉRO 1
JANUARY / JANVIER

2007

An NRC Research Press
JOURNAL
Une REVUE des
Presses scientifiques du CNRC

CIVIL ENGINEERING

Canadian Journal of

cjce.nrc.ca

Revue canadienne de

GÉNIE CIVIL

rcgc.cnrc.ca

Sealant

Early
Tracking

Year 1

Year 4



National Research
Council Canada

Conseil national
de recherches Canada

NRC-CNRC

Structural engineering		Ingénierie des structures	
ARTICLES			
Gail M. Atkinson and Medhat Elgohary	12–18	Typical uniform hazard spectra for eastern North American sites at low probability levels	
F.A. Boudreault, C. Blais, and C.A. Rogers	56–65	Seismic force modification factors for light-gauge steel-frame – wood structural panel shear walls	
NOTE			
Dimos Polyzois and Jon A. Kell	116–119	Repair and rehabilitation of wood utility poles with fibre-reinforced polymers	
DISCUSSIONS			
Shiming Chen	132–133	Discussion of “Strengthening precast-prestressed hollow core slabs to resist negative moments using carbon fibre reinforced polymer strips: an experimental investigation and a critical review of Canadian Standards Association S806-02”	
Abdelhadi Hosny, Ezzeldin Yazeed Sayed-Ahmed, Amr Ali Abdelrahman, and Naser Ahmed Alhlaby	134–136	Reply to Discussion by S. Chen on “Strengthening precast-prestressed hollow core slabs to resist negative moments using carbon fibre reinforced polymer strips: an experimental investigation and a critical review of Canadian Standards Association 806-02”	
ERRATUM			
Abdelhadi Hosny, Ezzeldin Yazeed Sayed-Ahmed, Amr Ali Abdelrahman, and Naser Ahmed Alhlaby	138	Erratum: Strengthening precast-prestressed hollow core slabs to resist negative moments using carbon fibre reinforced polymer strips: an experimental investigation and a critical review of Canadian Standards Association S806-02	
Transportation engineering		Ingénierie des transports	
ARTICLE			
Ciprian Alecsandru, Sherif Ishak, and Yan Zhang	89–98	An optimal downsampling procedure for microscopic simulation modeling of transportation networks: a proof-of-concept study	
NOTE			
J-F. Masson, P. Collins, D. Perraton, and I. Al-Qadi	126–131	Rapid assessment of the tracking resistance of bituminous crack sealants	
BOOK REVIEW			
Perry Adebar	137	CRITIQUE DE LIVRE	
		Reinforced Concrete Design: A Practical Approach. by S. Brzev and J. Pao	



National Research
Council Canada
Ottawa, Canada
K1A 0R6

Conseil national
de recherches Canada
Ottawa, Canada
K1A 0R6

Postage paid at Ottawa
Publications mail
Registration No. 40062591
USPS periodical postage paid at Plattsburgh, NY 12901, USA

Port payé à Ottawa
Poste-publication
Enregistrement n° 40062591

Canadian Journal of Civil Engineering

Volume 34, Number 1, January 2007

Revue canadienne de génie civil

Volume 34, numéro 1, janvier 2007

Construction engineering

ARTICLES

Chau-Ping Yang

1-11

Ingénierie de la construction

ARTICLES

Yasemin Nielsen and Bilge Erdogan

19-36

**M. Motiar Rahman, Mohan
M. Kumaraswamy, and
Florence Yean Yng Ling**

75-88

Engineering materials

ARTICLE

**Mohamed Bentchikou, Salah Hanini,
Kamel Silhadi et Amor Guidoum**

37-45

Matériaux d'ingénierie

ARTICLE

Hydrotechnical engineering

ARTICLES

Y.X. Qu and J. Doering

46-55

**Daniel Caissie, Nassir El-Jabi, and
Cindie Hébert**

66-74

**M. Javan, M.M. Namin, and
S.A.A. Salehi Neyshabouri**

99-106

H. Azinfar and J.A. Kells

107-115

**Mehmet Ardiçioğlu, Özgür Kişi, and
Tefaruk Haktanır**

120-125

Hydraulique

ARTICLES

Laboratory study of anchor ice evolution around rocks and on gravel beds

Comparison of hydrologically based instream flow methods using a resampling technique

A time-splitting method on a nonstaggered grid in curvilinear coordinates for implicit simulation of non-hydrostatic free-surface flows

Backwater effect due to a single spur dike

NOTE

NOTE

Suspended sediment prediction using two different feed-forward back-propagation algorithms

Continued on inside back cover / Suite au verso

Front cover: Top, tracking of sealants within hours of installation; bottom, later in the service life (see Masson et al., in this issue, pp. 126-131).

Page couverture : En haut, suivi de l'état des produits de scellement quelques heures après leur application; en bas, plus tard au cours de leur vie utile (voir Masson et coll., ce numéro, p. 126-131).

