



Technical drawing background showing a beam under load with various annotations: *Critical section*, 17×25 , $2P$, 13.6 kN , 13.5 kN , 13.2 kN , 12.2 kN , 7.1 kN , F_{T2} , F_{T1} , 300 , 600 , *Beam span: mm*, 290 mm , 250 mm , 180 mm , 11.00 m , $\Delta \nabla$, $\nabla \Delta$, $\text{dia. } 16/200$, $\text{dia. } 16/200$, $\text{dia. } 16/400$.

Ultimate limit-state design of concrete structures

A new approach

M.D. Kotsovos and M.N. Pavlović

Published by Thomas Telford Ltd, 1 Heron Quay, London E14 4JD
URL: <http://www.t-telford.co.uk>

Distributors for Thomas Telford books are

USA: ASCE, 1801 Alexander Bell Drive, Reston, VA 20191-4400

Japan: Maruzen Co. Ltd, Book Department, 3-10 Nihonbashi 2-chome, Chuo-ku, Tokyo 103

Australia: DA Books and Journals, 648 Whitehorse Road, Mitcham 3132, Victoria

First published 1999

A catalogue record for this book is available from the British Library

ISBN: 0 7277 2665 X

© M. D. Kotsovos and M. N. Pavlović, 1999

All rights, including translation reserved. Except for fair copying, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the Books Publisher, Thomas Telford Ltd, 1 Heron Quay, London E14 4JD.

This book is published on the understanding that the author is/authors are solely responsible for the statements made and opinions expressed in it and that its publication does not necessarily imply that such statements and/or opinions are or reflect the views or opinions of the publishers.

Typeset by MHL Typesetting, Coventry.

Printed and bound in Great Britain by Redwood Books, Trowbridge, Wiltshire.

Contents

Preface	vii
1. An appraisal of the validity of predictions of current design methods	1
1.1. Introduction	1
1.2. Structural walls under transverse loading	2
1.3. Simply-supported reinforced concrete T-beams	5
1.4. Structural wall under combined vertical and horizontal loading	9
1.5. Column with additional reinforcement against seismic action	12
1.5.1. Design details	12
1.5.2. Experimental behaviour	14
1.5.3. Causes of failure	16
1.6. Simply-supported beams with one overhang	18
1.6.1. Design details	18
1.6.2. Experimental behaviour	19
1.6.3. Causes of failure	23
1.7. Failure of structural concrete under seismic load	24
1.8. Conclusions	28
1.9. References	29
2. Reappraisal of current methods for structural concrete design	31
2.1. Introduction	31
2.2. Current design methods	31
2.2.1. Physical model	31
2.2.2. Beam action	34
2.2.3. Truss action	36

2.3. Reappraisal of the current approach for assessing flexural capacity	38
2.3.1. Concrete behaviour	39
2.3.1.1. <i>Stress-strain curves</i>	39
2.3.1.2. <i>Cracking</i>	41
2.3.1.3. <i>Effect of small transverse stresses on strength and deformation</i>	43
2.3.2. Failure mechanism of the compressive zone	45
2.3.2.1. <i>A fundamental explanation of failure initiation based on triaxial material behaviour</i>	45
2.3.2.2. <i>Triaxiality and failure initiation by macrocracking: some experimental and analytical evidence</i>	49
2.4. Reappraisal of the current approach for assessing shear capacity	62
2.4.1. Validity of concepts underlying shear design	62
2.4.1.1. <i>Shear capacity of critical cross-section</i>	63
2.4.1.2. <i>Aggregate interlock</i>	66
2.4.1.3. <i>Dowel action</i>	66
2.4.1.4. <i>Truss analogy</i>	66
2.4.2. Contribution of compressive zone to shear capacity	67
2.4.3. Shear-failure mechanism	69
2.4.4. Contribution of transverse reinforcement to shear capacity	71
2.5. Conclusions	74
2.6. References	75
3. The concept of the compressive-force path	77
3.1. Introduction	77
3.2. Proposed function of simply-supported beams	77
3.2.1. Physical state of beam	77
3.2.2. Load transfer to supports	79
3.2.3. Effect of cracking on internal actions	82
3.2.4. Contribution of uncracked and cracked concrete to the beam's load-carrying capacity	84
3.2.5. Causes of failure	85
3.3. Validity of the proposed structural functioning of simply-supported beams	88

3.4. Conclusions	94
3.5. References	95
4. Design methodology	96
4.1. Introduction	96
4.2. Simply-supported reinforced concrete beam	96
4.2.1. Physical model	96
4.2.2. Failure criterion	98
4.2.3. Validity of failure criteria	102
4.2.4. Assessment of longitudinal reinforcement	108
4.2.5. Assessment of transverse reinforcement	110
4.2.6. Design procedure	115
4.2.7. Design examples	116
(a) <i>Beam of type II behaviour</i>	117
(b) <i>Beam of type III behaviour</i>	120
(c) <i>Beam of type IV behaviour</i>	123
4.3. Simply-supported prestressed concrete beam	124
4.3.1. Physical model	124
4.3.2. Failure criteria	127
4.3.3. Assessment of reinforcement	127
4.3.4. Procedure for checking shear capacity	127
4.3.5. Example of shear-capacity checking	129
4.4. Skeletal structural forms with beam-like elements	134
4.4.1. Physical models	134
4.4.2. Design procedure	137
4.4.3. Design examples	137
(a) <i>Simply-supported beam with overhang</i>	138
(b) <i>Cantilever</i>	141
(c) <i>Continuous beam</i>	144
(d) <i>Portal frame with fixed ends</i>	149
4.5. The failure of an offshore platform	154
4.5.1. Background	154
4.5.2. A simple structural evaluation	157
4.5.3. Strength evaluation of test specimens	160
4.5.4. Concluding remarks	163
4.6. References	163