




American Water Works Association
Dedicated to Safe Drinking Water



WATER DISTRIBUTION SYSTEMS HANDBOOK

LARRY W. MAYS

CONTENTS

Contributors	xxv
Preface	xxvii
Acknowledgments	xxix

CHAPTER 1 INTRODUCTION

1.1 BACKGROUND	1.1
1.2 HISTORICAL ASPECTS OF WATER DISTRIBUTION	1.3
1.2.1 Ancient Urban Water Supplies	1.3
1.2.2 Status of Water Distribution Systems in the 19th Century	1.9
1.2.3 Perspectives on Water Distribution Mains in the United States	1.10
1.2.4 Early Pipe Flow Computational Methods	1.16
1.3 MODERN WATER DISTRIBUTION SYSTEMS	1.16
1.3.1 The Overall Systems	1.16
1.3.2 System Components	1.20
1.3.3 System Operation	1.26
1.3.4 The Future	1.29
REFERENCES	1.30

CHAPTER 2 HYDRAULICS OF PRESSURIZED FLOW

2.1 INTRODUCTION	2.1
2.2 IMPORTANCE OF PIPELINE SYSTEMS	2.2
2.3 NUMERICAL MODELS: BASIS FOR PIPELINE ANALYSIS	2.3
2.4 MODELING APPROACH	2.4
2.4.1 Properties of Matter (What?)	2.5
2.4.2 Laws of Conservation (How?)	2.6
2.4.3 Conservation of Mass	2.7
2.4.3.1 Law of conservation of chemical species	2.7
2.4.3.2 Steady flow	2.8
2.4.4 Newton's Second Law	2.9
2.5 SYSTEM CAPACITY: PROBLEMS IN TIME AND SPACE	2.10
2.6 STEADY FLOW	2.13
2.6.1 Turbulent Flow	2.15
2.6.2 Headloss Caused by Friction	2.16
2.6.3 Comparison of Loss Relations	2.18
2.6.4 Local Losses	2.21
2.6.5 Tractive Force	2.22
2.6.6 Conveyance System Calculations: Steady Uniform Flow	2.23
2.6.7 Pumps: Adding Energy to the Flow	2.26
2.6.8 Sample Application Including Pumps	2.28
2.6.9 Networks—Linking Demand and Supply	2.30
2.7 QUASI-STEADY FLOW: SYSTEM OPERATION	2.30

2.8 UNSTEADY FLOW: INTRODUCTION OF FLUID TRANSIENTS	2.32
2.8.1 Importance of Waterhammer	2.32
2.8.2 Cause of Transients	2.34
2.8.3 Physical Nature of Transient Flow	2.35
2.8.3.1 Implication 1. Water has a high density	2.35
2.8.3.2 Implication 2. Water is only slightly compressible	2.35
2.8.3.3 Implication 3. Local action and control of valves	2.36
2.8.4 Equation of State-Wavespeed Relations	2.37
2.8.5 Increment of Head-Change Relation	2.38
2.8.6 Transient Conditions in Valves	2.39
2.8.6.1 Gate discharge equation	2.40
2.8.6.2 Alternate valve representation	2.41
2.8.6.3 Pressure regulating valves	2.42
2.8.7 Conclusion	2.42
REFERENCES	2.42

CHAPTER 3 SYSTEM DESIGN: AN OVERVIEW

3.1 INTRODUCTION	3.1
3.1.1 Overview	3.1
3.1.2 Definitions	3.2
3.2 DISTRIBUTION SYSTEM PLANNING	3.2
3.2.1 Water Demands	3.2
3.2.2 Planning and Design Criteria	3.7
3.2.2.1 Supply	3.7
3.2.2.2 Storage	3.7
3.2.2.3 Fire demands	3.8
3.2.2.4 Distribution system analysis	3.8
3.2.2.5 Service pressures	3.8
3.2.3 Peaking Coefficients	3.9
3.2.4 Computer Models and System Modeling	3.9
3.2.4.1 History of computer models	3.10
3.2.4.2 Software packages	3.10
3.2.4.3 Development of a system model	3.11
3.3 PIPELINE PRELIMINARY DESIGN	3.11
3.3.1 Alignment	3.11
3.3.2 Subsurface Conflicts	3.13
3.3.3 Rights-of-Way	3.13
3.4 PIPING MATERIALS	3.13
3.4.1 Ductile Iron Pipe (DIP)	3.14
3.4.1.1 Materials	3.14
3.4.1.2 Available sizes and thicknesses	3.14
3.4.1.3 Joints	3.14
3.4.1.4 Gaskets	3.14
3.4.1.5 Fittings	3.14
3.4.1.6 Linings	3.16
3.4.1.7 Coatings	3.17
3.4.2 Polyvinyl Chloride (PVC) Pipe	3.18
3.4.2.1 Materials	3.18
3.4.2.2 Available sizes and thicknesses	3.19
3.4.2.3 Joints	3.19

3.4.2.4 Gaskets	3.20
3.4.2.5 Fittings	3.20
3.4.2.6 Linings and Coatings	3.20
3.4.3 Steel Pipe	3.21
3.4.3.1 Materials	3.21
3.4.3.2 Available sizes and thicknesses	3.21
3.4.3.3 Joints	3.22
3.4.3.4 Gaskets	3.22
3.4.3.5 Fittings	3.22
3.4.3.6 Linings and Coatings	3.23
3.4.4 Reinforced Concrete Pressure Pipe (RCPP)	3.25
3.4.4.1 Steel cylinder pipe, AWWA C300	3.26
3.4.4.2 Prestressed steel cylinder pipe, AWWA C301	3.26
3.4.4.3 Noncylinder pipe, AWWA C302	3.28
3.4.4.4 Pretensioned steel cylinder, AWWA C300	3.28
3.4.5 High-Density Polyethylene (HDPE) Pipe	3.29
3.4.5.1 Materials	3.29
3.4.5.2 Available sizes and thicknesses	3.30
3.4.5.3 Joints	3.30
3.4.5.4 Gaskets	3.31
3.4.5.5 Fittings	3.31
3.4.5.6 Linings and coatings	3.31
3.4.6 Asbestos-Cement Pipe (ACP)	3.31
3.4.6.1 Available sizes and thicknesses	3.31
3.4.6.2 Joints and fittings	3.32
3.4.7 Pipe Material Selection	3.32
3.5 PIPELINE DESIGN	3.34
3.5.1 Internal Pressures	3.34
3.5.2 Loads on Buried Pipe	3.34
3.5.2.1 Earth loads	3.35
3.5.2.2 Rigid pipe	3.36
3.5.2.3 Flexible pipe	3.37
3.5.3 Thrust Restraint	3.38
3.5.3.1 Thrust blocks	3.39
3.5.3.2 Restrained joints	3.41
3.6 DISTRIBUTION AND TRANSMISSION SYSTEM VALVES	3.44
3.6.1 Isolation Valves	3.44
3.6.1.1 Gate valves	3.45
3.6.1.2 Butterfly valves	3.45
3.6.2 Control Valves	3.46
3.6.2.1 Pressure-reducing valve	3.46
3.6.2.2 Pressure-sustaining valves	3.47
3.6.2.3 Flow-control valves	3.47
3.6.2.4 Altitude valves	3.47
3.6.2.5 Pressure-relief valves	3.47
3.6.3 Blow-offs	3.47
3.6.4 Air Release and Vacuum-Relief Valves	3.48
REFERENCES	3.48

CHAPTER 4 HYDRAULICS OF WATER DISTRIBUTION SYSTEMS

4.1 INTRODUCTION	4.1
4.1.1 Configuration and Components of Water Distribution Systems	4.1
4.1.2 Conservation Equations for Pipe Systems	4.3
4.1.3 Network Components	4.3
4.2 STEADY-STATE HYDRAULIC ANALYSIS	4.5
4.2.1 Series and Parallel Pipe Systems	4.5
4.2.2 Branching Pipe Systems	4.7
4.2.3 Pipe Networks	4.11
4.2.3.1 Hardy Cross method	4.11
4.2.3.2 Linear theory method	4.17
4.2.3.3 Newton-Raphson method and the node equations	4.18
4.2.3.4 Gradient algorithm	4.20
4.2.3.5 Comparison of solution methods	4.22
4.2.3.6 Extended-period simulation	4.23
4.3 UNSTEADY FLOW IN PIPE NETWORK ANALYSIS	4.24
4.3.1 Governing Equations	4.24
4.3.2 Solution Methods	4.25
4.3.2.1 Loop formulation	4.25
4.3.2.2 Pipe formulation with gradient algorithm	4.26
4.4 COMPUTER MODELING OF WATER DISTRIBUTION SYSTEMS	4.26
4.4.1 Applications of Models	4.27
4.4.2 Model Calibration	4.27
REFERENCES	4.28

CHAPTER 5 PUMP SYSTEM HYDRAULIC DESIGN

5.1 PUMP TYPES AND DEFINITIONS	5.1
5.1.1 Pump Standards	5.1
5.1.2 Pump Definitions and Terminology	5.2
5.1.3 Types of Centrifugal Pumps	5.6
5.2 PUMP HYDRAULICS	5.8
5.2.1 Pump Performance Curves	5.8
5.2.2 Pipeline Hydraulics and System Curves	5.8
5.2.2.1 Hazen-Williams equation	5.8
5.2.2.2 Manning's equation	5.11
5.2.2.3 Darcy-Weisbach equation	5.11
5.2.2.4 Comparisons of f , C , and n	5.12
5.2.3 Hydraulics of Valves	5.12
5.2.4 Determination of Pump Operating Points-Single Pump	5.13
5.2.5 Pumps Operating in Parallel	5.13
5.2.6 Variable-Speed Pumps	5.13
5.3 CONCEPT OF SPECIFIC SPEED	5.18
5.3.1 Introduction: Discharge-Specific Speed	5.18
5.3.2 Suction-Specific Speed	5.19
5.4 NET POSITIVE SUCTION HEAD	5.19
5.4.1 Net Positive Suction Head Available	5.19
5.4.2 Net Positive Suction Head Required by a Pump	5.20
5.4.3 NPSH Margin or Safety Factor Considerations	5.22
5.4.4 Cavitation	5.22
5.5 CORRECTED PUMP CURVES	5.22

5.6	HYDRAULIC CONSIDERATIONS IN PUMP SELECTION	5.27
5.6.1	Flow Range of Centrifugal Pumps	5.27
5.6.2	Causes and Effects of Centrifugal Pumps Operating Outside Allowable Flow Ranges	5.28
5.6.3	Summary of Pump Selection	5.28
5.7	APPLICATION OF PUMP HYDRAULIC ANALYSIS TO DESIGN OF PUMPING STATION COMPONENTS	5.30
5.7.1	Pump Hydraulic Selections and Specifications	5.30
5.7.1.1	Pump operating ranges	5.30
5.7.1.2	Specific pump hydraulic operating problems	5.32
5.7.2	Piping	5.32
5.7.2.1	Pump suction and discharge piping installation guidelines	5.33
5.7.2.2	Fluid velocity	5.33
5.7.2.3	Design of pipe wall thickness (pressure design)	5.33
5.7.2.4	Design of pipe wall thickness (vacuum conditions)	5.34
5.7.2.5	Summary of pipe design criteria	5.35
5.8	IMPLICATIONS OF HYDRAULIC TRANSIENTS IN PUMPING STATION DESIGN	5.35
5.8.1	Effect of Surge on Valve Selection	5.35
5.8.2	Effect of Surge on Pipe Material Selection	5.36
	REFERENCES	5.36
	APPENDIX	5.37

CHAPTER 6 HYDRAULIC TRANSIENT DESIGN FOR PIPELINE SYSTEMS

6.1	INTRODUCTION TO WATERHAMMER AND SURGING	6.1
6.2	FUNDAMENTALS OF WATERHAMMER AND SURGE	6.2
6.2.1	Definitions	6.2
6.2.2	Acoustic Velocity	6.2
6.2.3	Joukowsky (Waterhammer) Equation	6.3
6.3	HYDRAULIC CHARACTERISTICS OF VALVES	6.4
6.3.1	Descriptions of Various Types of Valves	6.5
6.3.2	Definition of Geometric Characteristics of Valves	6.6
6.3.3	Definition of Hydraulic Performance of Valves	6.6
6.3.4	Typical Geometric and Hydraulic Valve Characteristics	6.8
6.3.5	Valve Operation	6.9
6.4	HYDRAULIC CHARACTERISTICS OF PUMPS	6.9
6.4.1	Definition of Pump Characteristics	6.10
6.4.2	Homologous (Affinity) Laws	6.10
6.4.3	Abnormal Pump (Four-Quadrant) Characteristics	6.12
6.4.4	Representation of Pump Data for Numerical Analysis	6.15
6.4.5	Critical Data Required for Hydraulic Analysis of Systems with Pumps	6.16
6.5	SURGE PROTECTION AND SURGE CONTROL DEVICES	6.18
6.5.1	Critical Parameters for Transients	6.18
6.5.2	Critique of Surge Protection	6.20
6.5.3	Surge Protection Control and Devices	6.22
6.6	DESIGN CONSIDERATIONS	6.24
6.7	NEGATIVE PRESSURES AND WATER COLUMN SEPARATION IN NETWORKS	6.26
6.8	TIME CONSTANTS FOR HYDRAULIC SYSTEMS	6.27

6.9 CASE STUDIES	6.27
6.9.1 Case Study with One-way and Simple Surge Tanks	6.27
6.9.2 Case Study with Air chamber	6.28
6.9.3 Case Study with Air-vacuum Breaker	6.31
REFERENCES	6.32

CHAPTER 7 OPTIMAL DESIGN OF WATER DISTRIBUTION SYSTEMS

7.1 OVERVIEW	7.1
7.2 PROBLEM DEFINITION	7.1
7.3 MATHEMATICAL FORMULATION	7.3
7.4 OPTIMIZATION METHODS	7.4
7.4.1 Branched Systems	7.4
7.4.2 Looped Pipe Systems via Linearization	7.5
7.4.3 General System Design via Nonlinear Programming	7.7
7.4.4 Stochastic Search Techniques	7.8
7.5 APPLICATIONS	7.9
7.6 SUMMARY	7.12
REFERENCES	7.13

CHAPTER 8 WATER-QUALITY ASPECTS OF CONSTRUCTION AND OPERATIONS

8.1 INTRODUCTION	8.1
8.2 DISINFECTION OF NEW WATER MAINS	8.1
8.2.1 Need for Disinfection	8.2
8.2.2 Disinfection Chemicals	8.2
8.2.3 Disinfection Procedures	8.2
8.2.3.1 The tablet method	8.2
8.2.3.2 The continous feed method	8.3
8.2.3.3 The slug method	8.3
8.2.4 Testing New Mains	8.3
8.2.5 Main Repairs	8.3
8.2.6 Disposal of Highly Chlorinated Water	8.3
8.3 DISINFECTION OF STORAGE TANKS	8.4
8.3.1 Disinfection Procedures for Filling Tanks	8.4
8.3.1.1 Method 1	8.4
8.3.1.2 Method 2	8.4
8.3.1.3 Method 3	8.5
8.3.2 Underwater Inspection	8.5
8.4 CROSS-CONNECTION CONTROL	8.5
8.4.1 Definitions	8.5
8.4.2 Cross-Connection Control Programs	8.5
8.4.3 Backflow Prevention	8.6
8.4.3.1 Air Gap	8.6
8.4.3.2 Reduced-pressure backflow preventers and double-check valve assemblies	8.6
8.4.3.3 Atmospheric and pressure vacuum breakers, and barometric loops	8.6
8.4.3.4 Single and dual check valves	8.7
8.4.4 Application of Backflow Preventers	8.7

8.5 FLUSHING OF DISTRIBUTION SYSTEMS	8.8
8.5.1 Background	8.8
8.5.2 Flushing Procedures	8.8
8.5.3 Directional Flushing	8.9
8.5.4 Alternating of Disinfectants	8.9
REFERENCES	8.10

CHAPTER 9 WATER QUALITY

9.1 INTRODUCTION	9.1
9.1.1 Overview	9.1
9.1.2 Definitions	9.2
9.2 WATER-QUALITY PROCESSES	9.3
9.2.1 Loss of Disinfectant Residual	9.3
9.2.1.1 Disinfection methods	9.4
9.2.1.2 Rates of disinfectant loss	9.5
9.2.1.3 Mitigation of disinfectant loss	9.5
9.2.2 Growth of Disinfection By-products	9.6
9.2.3 Internal Corrosion	9.6
9.2.3.1 Types of corrosion	9.7
9.2.3.2 Factors affecting corrosion	9.7
9.2.3.3 Indicators of corrosion	9.8
9.2.3.4 Control of corrosion	9.8
9.2.4 Biofilms	9.9
9.2.4.1 Origins	9.9
9.2.4.2 Composition	9.9
9.2.4.3 Significance	9.10
9.2.4.4 Treatment and control	9.10
9.3 WATER-QUALITY MONITORING	9.11
9.3.1 Routine Monitoring	9.11
9.3.1.1 Regulatory requirements	9.11
9.3.1.2 Sampling methods	9.11
9.3.1.3 Sampling parameters	9.11
9.3.2 Synoptic Monitoring	9.11
9.4 WATER-QUALITY MODELING	9.15
9.4.1 History	9.16
9.4.2 Governing Equations	9.16
9.4.2.1 Advective transport in pipes	9.17
9.4.2.2 Mixing at pipe junctions	9.17
9.4.2.3 Mixing in storage facilities	9.17
9.4.2.4 Bulk flow reactions	9.17
9.4.2.5 Pipe wall reactions	9.18
9.4.2.6 System of equations	9.18
9.4.3 Solution Methods	9.18
9.4.3.1 Steady-state models	9.18
9.4.3.2 Dynamic models	9.19
9.4.4 Data Requirements	9.20
9.4.4.1 Hydraulic data	9.20
9.4.4.2 Water-quality data	9.20
9.4.4.3 Reaction-rate data	9.20
9.4.5 Model Calibration	9.21

9.4.5.1 Calibration of conservative substances	9.21
9.4.5.2 Calibration of nonconservative substances	9.21
9.4.5.3 Uses for hydraulic calibration.	9.21
REFERENCES	9.22

CHAPTER 10 HYDRAULIC DESIGN OF WATER DISTRIBUTION STORAGE TANKS

10.1 INTRODUCTION	10.1
10.2 BASIC CONCEPTS	10.1
10.2.1 Equalization	10.2
10.2.2 Pressure Maintenance	10.2
10.2.3 Fire Storage	10.2
10.2.4 Emergency Storage	10.2
10.2.5 Energy Consumption	10.3
10.2.6 Water Quality	10.3
10.2.7 Hydraulic Transient Control	10.3
10.2.8 Aesthetics	10.4
10.3 DESIGN ISSUES	10.4
10.3.1 Floating Versus Pumped Storage	10.4
10.3.2 Ground Versus Elevated Tank	10.5
10.3.3 Effective Versus Total Storage	10.6
10.3.4 Private Versus Utility Owned Tanks	10.6
10.3.5 Pressurized Tanks	10.6
10.4 LOCATION	10.7
10.4.1 Clearwell Storage	10.7
10.4.2 Tanks Downstream of the Demand Center	10.8
10.4.3 Multiple Tanks in the Pressure Zone	10.8
10.4.4 Multiple Pressure-Zone Systems	10.9
10.4.5 Other Siting Considerations	10.9
10.5 TANK LEVELS	10.9
10.5.1 Setting Tank Overflow Levels	10.9
10.5.2 Identifying Tank Service Areas	10.10
10.5.3 Identifying Pressure Zones	10.10
10.6 TANK VOLUME	10.11
10.6.1 Trade-offs in Tank Volume Design	10.11
10.6.2 Standards-Driven Sizing	10.12
10.6.3 Functional Design	10.12
10.6.3.1 Equalization Storage.	10.12
10.6.3.2 Fire Storage.	10.14
10.6.3.3 Emergency Storage.	10.16
10.6.3.4 Combination Equalization, Fire and Emergency Storage.	10.16
10.6.3.5 Summary of Functional Sizing.	10.16
10.6.4 Staging Requirements	10.16
10.6.5 Useful Dead Storage	10.17
10.7 OTHER DESIGN CONSIDERATIONS	10.18
10.7.1 Altitude Valves	10.18
10.7.2 Cathodic Protection and Coatings	10.18
10.7.3 Overflows and Vents	10.18
REFERENCES	10.19

CHAPTER 11 QUALITY OF WATER IN STORAGE

11.1 INTRODUCTION	11.1
11.1.1 Overview	11.1
11.1.2 Definitions	11.2
11.2 WATER QUALITY PROBLEMS	11.2
11.2.1 Chemical Problems	11.2
11.2.1.1 Loss of disinfectant residual	11.2
11.2.1.2 Formation of disinfection by-products	11.3
11.2.1.3 Development of taste and odor	11.3
11.2.1.4 Increase in pH	11.4
11.2.1.5 Corrosion	11.4
11.2.1.6 Buildup of iron and manganese	11.4
11.2.1.7 Occurrence of hydrogen sulfide	11.5
11.2.1.8 Leachate from internal coatings	11.5
11.2.2 Microbiological Problems	11.5
11.2.2.1 Bacterial regrowth	11.5
11.2.2.2 Nitrification	11.6
11.2.2.3 Worms and Insects	11.6
11.2.3 Physical Problems	11.7
11.2.3.1 Sediment buildup	11.7
11.2.3.2 Entry of contaminants	11.7
11.2.3.3 Temperature	11.8
11.3 MIXING AND AGING IN STORAGE FACILITIES	11.8
11.3.1 Ideal Flow Regimes	11.8
11.3.2 Jet Mixing	11.9
11.3.3 Mixing Times	11.9
11.3.4 Stratification	11.10
11.3.5 Aging	11.11
11.4 MONITORING AND SAMPLING	11.12
11.4.1 Routine Monitoring	11.12
11.4.1.1 Typical parameters of water quality	11.13
11.4.1.2 Parameters of nitrification monitoring	11.13
11.4.1.3 Parameters of sediment monitoring	11.13
11.4.1.4 Parameters of biofilm monitoring	11.17
11.4.2 Sampling Methods and Equipment	11.17
11.4.3 Monitoring Frequency and Location of Samples	11.18
11.4.4 Special Studies	11.20
11.4.4.1 Intensive studies of water quality and tracers	11.20
11.4.4.1 Temperature monitoring	11.20
11.5 MODELING	11.22
11.5.1 Scale Models	11.22
11.5.1.1 Principles of similitude	11.22
11.5.1.2 Construction of a model	11.23
11.5.1.3 Types of tracers	11.24
11.5.1.4 Temperature modeling	11.25
11.5.2 Computational Fluid Dynamics	11.25
11.5.2.1 Mathematical formulations of CFD models	11.26
11.5.2.2 Application of CFD Models	11.27
11.5.3 Systems Models	11.28

11.5.3.1	Background	11.28
11.5.3.2	Elemental systems models	11.28
11.5.3.3	Compartment models	11.28
11.5.3.4	Application of systems models	11.28
11.6	DESIGN AND OPERATIONAL ISSUES	11.30
11.6.1	Water-Quality Design Objectives	11.30
11.6.2	Modes of Operation: Simultaneous Inflow-Outflow Versus Fill and Draw	11.30
11.6.3	Flow Regimes: Complete Mix Versus Plug Flow	11.30
11.6.3.1	Effects of flow regime on loss of disinfectant in reservoirs	11.31
11.6.3.2	Mixed flow	11.31
11.6.3.3	Plug flow	11.32
11.6.3.4	Recommendations	11.33
11.6.4	Stratification in Reservoirs	11.33
11.7	INSPECTION AND MAINTENANCE ISSUES	11.34
11.7.1	Inspections	11.34
11.7.2	Maintenance	11.36
	REFERENCES	11.36

CHAPTER 12 COMPUTER MODELS/EPANET

12.1	INTRODUCTION	12.1
12.1.1	Need for Computer Models	12.1
12.1.2	Uses of Computer Models	12.2
12.1.3	History of Computer Models	12.2
12.2	USE OF A COMPUTER MODEL	12.3
12.2.1	Network Representation	12.3
12.2.1.1	Network components	12.3
12.2.1.2	Network skeletonization	12.4
12.2.2	Compilation of Data	12.4
12.2.2.1	ID labels	12.5
12.2.2.2	Nodal elevations	12.5
12.2.2.3	Pipe diameters	12.5
12.2.2.4	Pipe roughness	12.6
12.2.2.5	Pump curves	12.6
12.2.3	Estimation of Demand	12.6
12.2.4	Operating Characteristics	12.7
12.2.5	Reaction-Rate Information	12.7
12.2.6	Model Calibration	12.8
12.3	COMPUTER MODEL INTERNALS	12.8
12.3.1	Input Processing	12.9
12.3.2	Topological Processing	12.9
12.3.3	Hydraulic Solution Algorithms	12.9
12.3.4	Linear-Equation Solver	12.11
12.3.5	Extended-Period Solver	12.11
12.3.6	Water-Quality Algorithms	12.12
12.3.7	Output Processing	12.12
12.4	EPANET PROGRAM	12.13
12.4.1	Background	12.13
12.4.2	Program Features	12.14

12.4.3 User Interface	12.15
12.4.4 Solver Module	12.17
12.4.5 Programmer's Toolkit	12.20
12.5 CONCLUSION	12.20
REFERENCES	12.21

CHAPTER 13 WATER QUALITY MODELING-CASE STUDIES

13.1 INTRODUCTION	13.1
13.2 DESIGN OF DISTRIBUTION SYSTEMS IN THE UNITED STATES	13.2
13.3 WATER QUALITY IN NETWORKS	13.3
13.4 HYDRAULIC AND WATER-QUALITY MODELS	13.4
13.4.1 Steady-State-Water Quality Models	13.5
13.4.2 Dynamic Water-Quality Models	13.5
13.5 EARLY APPLICATIONS OF WATER-QUALITY MODELING	13.6
13.5.1 North Penn Study	13.6
13.5.1.1 Network modeling	13.7
13.5.1.2 Variations in water quality data	13.8
13.5.1.3 Development of dynamic water-quality algorithm	13.8
13.5.2 South Central Connecticut Regional Water Authority	13.9
13.5.2.1 System modeling	13.13
13.5.2.2 Design of the field study	13.13
13.5.2.3 Results from the field study	13.13
13.5.2.4 Verification study	13.17
13.5.2.5 Presampling procedures	13.17
13.5.2.6 Analysis of sampling results	13.17
13.5.2.7 Modeling of chlorine residual	13.21
13.5.3 Case Study of Cabool, Missouri	13.22
13.6 EVOLUTION OF WATER QUALITY MODELING	13.22
13.7 MODELING PROPAGATION OF CONTAMINANTS	13.23
13.7.1 Case Study of the North Marin Water District	13.24
13.7.1.1 Water-quality study	13.29
13.7.1.2 Modeling of total trihalomethane formations	13.30
13.7.1.3 Chlorine demand	13.34
13.7.1.4 Effect of system demand	13.34
13.7.2 Complement to the North Marin study	13.34
13.7.3 Waterborne Outbreak in Gideon, Missouri	13.36
13.7.3.1 Description of the system	13.38
13.7.3.2 Identification of the outbreak	13.39
13.7.3.3 Possible causes	13.40
13.7.3.4 Evaluation of the System	13.41
13.7.3.5 Performance of the System	13.41
13.7.3.6 Propagation of the contaminant	13.43
13.8 CURRENT TRENDS IN WATER-QUALITY MODELING	13.44
13.8.1 Study in Cholet, France	13.44
13.8.2 Case Study in Southington, Connecticut	13.44
13.8.3 Mixing in Storage Tanks	13.45
13.9 SUMMARY AND CONCLUSIONS	13.45
REFERENCES	13.46

CHAPTER 14 CALIBRATION OF HYDRAULIC NETWORK MODELS

14.1 INTRODUCTION	14.1
14.1.1 Network Characterization	14.1
14.1.2 Network Data Requirements	14.1
14.1.3 Model Parameters	14.3
14.2 IDENTIFY THE INTENDED USE OF THE MODEL	14.3
14.3 DETERMINE ESTIMATES OF THE MODEL PARAMETERS	14.3
14.3.1 Pipe Roughness Values	14.4
14.3.1.1 Chart the pipe roughness	14.4
14.3.1.2 Field test the pipe roughness	14.6
14.3.2 Distribution of Nodal Demands	14.9
14.3.2.1 Spatial distribution of demands	14.10
14.3.2.2 Temporal distribution of demands	14.12
14.4 COLLECT CALIBRATION DATA	14.12
14.4.1 Fire-Flow Tests	14.12
14.4.2 Telemetric Data	14.13
14.4.3 Water-Quality Data	14.14
14.5 EVALUATE THE RESULTS OF THE MODEL	14.14
14.6 PERFORM A MACRO-LEVEL CALIBRATION OF THE MODEL	14.15
14.7 PERFORM A SENSITIVITY ANALYSIS	14.16
14.8 PERFORM A MACRO-LEVEL CALIBRATION OF THE MODEL	14.16
14.8.1 Analytical Approaches	14.17
14.8.2 Simulation Approaches	14.17
14.8.3 Optimization Approaches	14.17
14.9 FUTURE TRENDS	14.21
14.10 SUMMARY AND CONCLUSION	14.21
REFERENCES	14.21

CHAPTER 15 OPERATION OF WATER DISTRIBUTION SYSTEMS

15.1 INTRODUCTION	15.1
15.2 HOW SYSTEMS ARE OPERATED	15.2
15.2.1 Typical Operating Indexes	15.2
15.2.2 Operating Criteria	15.3
15.2.3 Water Quality and Operations	15.4
15.2.4 Emergency Operations	15.4
15.3 MONITORING OF SYSTEM PERFORMANCE WITH SCADA SYSTEMS	15.5
15.3.1 Anatomy of a SCADA System	15.6
15.3.2 Data Archiving	15.9
15.4 CONTROL OF WATER DISTRIBUTION SYSTEM	15.9
15.4.1 Control Strategies	15.10
15.4.1.1 Supervisory control	15.10
15.4.1.2 Automatic control	15.10
15.4.1.3 Advanced control	15.10
15.4.2 Centralized Versus Local Control	15.11
15.5 LINKING OF SCADA SYSTEMS WITH ANALYSIS AND CONTROL MODELS	15.11
15.5.1 Data Requirements of Analysis and Control Models	15.12
15.5.2 Establishment of the Link	15.13

15.6 USE OF CENTRAL DATABASES IN SYSTEM CONTROL	15.15
15.7 WHAT THE FUTURE HOLDS	15.16
REFERENCES	15.16

CHAPTER 16 OPTIMIZATION MODELS FOR OPERATIONS

16.1 INTRODUCTION	16.1
16.2 FORMULATIONS FOR MINIMIZING ENERGY COST MINIMIZATION	16.3
16.2.1 Energy Management	16.3
16.2.2 Management Strategies	16.3
16.2.3 Management Models	16.5
16.2.3.1 Hydraulic network models	16.5
16.2.3.2 Demand forecast models	16.7
16.2.3.3 Control models	16.8
16.2.4 Optimization Models	16.9
16.2.4.1 Problem formulation	16.9
16.2.4.2 System classification	16.10
16.2.5 Summary and Conclusions	16.14
16.3 FORMULATIONS TO SATISFY WATER QUALITY	16.16
16.4 SOLUTION METHODS AND APPLICATIONS FOR WATER-QUALITY PURPOSES	16.19
16.4.1 Mathematical Programming Approach	16.19
16.4.2 Simulated Annealing Approach	16.22
16.4.3 Development of Cost Function	16.24
16.4.4 Sample Application	16.26
16.4.5 Advantages and Disadvantages of the Two Methods	16.28
16.5 OPTIMAL SCHEDULING OF BOOSTER DISINFECTION	16.28
16.5.1 Background 1: Linear Superposition	16.33
16.5.2 Background 2: Dynamic Network Water-Quality Models in a Planning Context	16.34
16.5.3 Optimal Scheduling of Booster-Station Dosages as Linear Programming Problem	16.36
16.5.4 Optimal Location and Scheduling of Booster-Station Dosage as a Mixed-Integer Linear Programming Problem	16.36
16.5.5 Optimal Location of Booster Stations as a Maximum Set-Covering Problem	16.38
16.5.6 Solution of the Optimization Models	16.40
16.5.7 Available Software	16.41
16.5.8 Summary	16.42
REFERENCES	16.43

CHAPTER 17 MAINTENANCE AND REHABILITATION/ REPLACEMENT

17.1 INTRODUCTION	17.1
17.1.1 Maintenance and Rehabilitation Problems	17.1
17.1.1.1 Normal wear	17.1
17.1.1.2 Corrosion	17.2
17.1.1.3 Unforeseen loads	17.2
17.1.1.4 Poor manufacture and installation	17.2
17.1.2. Preview of the Chapter	17.2

17.2 UNACCOUNTED-FOR WATER	17.2
17.2.1 Indicators for Unaccounted-for Water	17.3
17.2.2. Understanding the Causes of Unaccounted-for Water	17.3
17.2.3 Components of Unaccounted-for Water	17.5
17.2.3.1 Water main leakage	17.5
17.2.3.2 Service pipe leakage	17.7
17.2.3.3 System pressure	17.7
17.2.3.4 Fire fighting	17.7
17.2.3.5 Main flushing	17.8
17.2.3.6 Blowoffs	17.8
17.2.3.7 Flat rate customers	17.8
17.2.3.8 Authorized unmetered uses	17.8
17.2.3.9 Meter under registration	17.8
17.2.3.10 Theft of water	17.9
17.2.4. Summary	17.9
17.3 PIPE BREAKS	17.10
17.3.1 Corrosion	17.10
17.3.1.1 External soil corrosion	17.10
17.3.1.2 Internal corrosion	17.11
17.3.1.3 Stray current corrosion	17.11
17.3.1.4 Bimetallic connections	17.11
17.3.2. External Loads	17.11
17.3.3 Poor Tapping	17.13
17.3.4. Pressure-Related Breaks	17.13
17.3.5. Repair Versus Replacement	17.14
17.4 HYDRAULIC CARRYING CAPACITY	17.16
17.4.1 Diagnosis of Pressure Problems	17.16
17.4.1.1 Pressure gauges	17.16
17.4.1.2 Hydraulic modeling	17.16
17.4.2 Correction of Pressure Problems	17.17
17.4.2.1 Closed isolating valves	17.17
17.4.2.2 Elevation and pressure zone issues	17.18
17.4.2.3 Carrying capacity	17.18
17.4.2.4 Inadequate capacity	17.19
17.4.3 Pipe Rehabilitation Technology	17.20
17.4.4. Evaluation of Pipe Rehabilitation	17.21
17.5 MAINTENANCE INFORMATION SYSTEMS	17.21
17.5.1 System Mapping	17.22
17.5.2 System Database	17.22
17.5.3 Geographic Information Systems	17.22
17.5.4 Maintenance Management Systems	17.23
17.5.5 SCADA Systems	17.23
REFERENCES	17.24

CHAPTER 18 RELIABILITY ANALYSIS FOR DESIGN

18.1 FAILURE MODES FOR WATER DISTRIBUTION SYSTEMS	18.1
18.1.1 Need and Justification	18.1
18.1.2 Definitions of Distribution System Repairs	18.3
18.1.3 Failure Modes	18.4
18.1.3.1 Performance failure	18.4
18.1.3.2 Component (mechanical) failure	18.5

18.1.4 Reliability: Indexes and Approaches	18.5
18.2 PRACTICAL ASPECTS OF PROVIDING RELIABILITY	18.6
18.2.1 Improving the Reliability of Water Distribution Systems	18.6
18.2.1.1 Piping materials	18.6
18.2.1.2 Construction methods	18.7
18.2.1.3 Pipe sizing	18.7
18.2.1.4 Looped water distribution system	18.7
18.2.1.5 Emergency Storage	18.8
18.2.1.6 Backup pumping and control valves	18.8
18.2.1.7 Standby power	18.8
18.2.1.8 Emergency controls	18.8
18.2.1.9 Emergency interconnections	18.9
18.2.1.10 Water distribution system modeling	18.9
18.2.1.11 Transient analysis	18.9
18.2.1.12 Operational considerations	18.9
18.2.1.13 Maintenance considerations	18.10
18.2.2 Analyzing the Effect of Valving on System Reliability	18.10
18.2.2.1 Background	18.10
18.2.2.2 Diagrams of distribution segments	18.10
18.2.2.3 Loops served from transmission mains	18.11
18.2.2.4 Emergency interconnections	18.11
18.2.2.5 Transmission lines connected to old systems	18.13
18.2.2.6 Typical cross-intersections	18.13
18.2.2.7 Application of segments in valve locations and reliability evaluation	18.14
18.3 COMPONENT RELIABILITY ANALYSIS	18.15
18.3.1 Failure Density, Failure Rate, and Mean Time To Failure	18.15
18.3.2 Availability and Unavailability	18.19
18.4 REVIEW OF MODELS FOR RELIABILITY OF WATER DISTRIBUTION SYSTEMS	18.21
18.4.1 Reliability of a System Failure	18.21
18.4.2 Failure Modes	18.22
18.4.3 Approaches to the Assessment of Reliability	18.25
18.4.4 Models and Techniques for Assessing Network Reliability	18.29
18.4.4.1 Simulation models	18.29
18.4.4.2 Analytical approaches	18.33
18.4.4.3 Heuristic techniques	18.39
18.4.4.4 Redundancy based measures	18.39
18.4.5 Overview of Reliability Measures	18.40
18.4.6 Observations	18.42
18.5 MEASURE OF LINK IMPORTANCE	18.43
REFERENCES	18.49