


English Translation
July 1993

FRENCH NATIONAL RESEARCH
PROJECT CLOUTERRE

RECOMMENDATIONS CLOUTERRE 1991



Soil Nailing Recommendations — 1991
For Designing, Calculating, Constructing
and Inspecting Earth Support
Systems Using Soil Nailing

2-624-313-1

École nationale des
Ponts et chaussées



U.S. Department
of Transportation

Federal Highway
Administration

TABLE OF CONTENTS
Page

Preface (to the English translation)	v
Preface (to the original French document)	vii
Introduction	ix
List of symbols and definitions	xiii
Table of conversion for SI Units	xix
Contents	xxi

**Chapter 1: THE TECHNIQUE USED FOR SOIL NAILED STRUCTURES:
DESCRIPTION AND DEVELOPMENTS** 1

1. DESCRIPTION OF THE TECHNIQUE	1
1.1. Definition of a soil nailed wall	1
1.2. Building phases	3
2. HISTORY AND DEVELOPMENT	5
2.1. Origins of soil nailing	5
2.2. Developments in the use of soil nailing for earth support systems	6
2.3. Soil nailing and patents	10
2.4. Advantages and drawbacks	10
3. THE FRENCH NATIONAL PROJECT "CLOUTERRE"	13
3.1. General background	13
3.2. The participants and financing of the project	13
3.3. The research program	13
3.4. Full-scale tests on soil nailed walls at the CEBTP	15

BIBLIOGRAPHY 19

**Chapter 2: SOIL NAILING IN RETAINING STRUCTURES:
MECHANISMS AND BEHAVIOR** 25

1. PRINCIPLE OF STRUCTURAL BEHAVIOR	25
2. SOIL/NAIL INTERACTION	29
2.1. Soil/nail friction	29
2.1.1. Similarity between skin friction in a fill and an in situ soil	29
2.1.2. Mobilization of skin friction along a nail	32
2.1.3. Influence of the type of nail	35
2.1.4. Correlations between parameters (k_{β} , q_s) and p_i	36
2.1.5. Influence of moisture content on skin friction	37
2.1.6. Mobilization of friction with deformation	38
2.2. Lateral earth pressure of nail	40
2.2.1. Similarity with piles subjected to horizontal loading	40

2.2.2.	Shear tests on soil reinforced with rigid nails	42
2.2.3.	Influence of the direction of the nails on the mobilization of stresses . . .	43
2.2.4.	Mobilization of the tension, shear force, and bending moment	46
3.	BEHAVIOR OF STRUCTURES	49
3.1.	Distribution of tension in nails and line of maximum tension	49
3.2.	Stresses in the soil of a soil nailed structure	50
3.3.	Mobilization of the bending resistance of the nails	52
3.4.	Deformations and displacements of a soil nailed wall	52
3.4.1.	Internal deformations of walls under in-service stresses	52
3.4.2.	Displacements of the facing	55
3.4.3.	Behavior of the wall during construction	56
3.5.	Behavior of the facing	59
4.	TYPES OF FAILURE OF SOIL NAILED WALLS	59
4.1.	Failure by breakage of the nails (internal failure)	59
4.2.	Failure by lack of adherence (internal failure)	61
4.3.	Failure during excavation phases	62
4.3.1.	Failure due to excessive height of continuous excavation (internal failure)	62
4.3.2.	Failure by piping of the soil (internal failure)	63
4.4.	External failure and mixed failure	63
5.	MIXED STRUCTURES	63
5.1.	Soil nailed wall with a row of prestressed anchors at the upper part	65
5.2.	Nailed Tervoile	65
5.3.	Nailed Berlin wall	65

BIBLIOGRAPHY	69
-------------------------------	----

Chapter 3: CONCEPTION AND DESIGN 73

1.	CONCEPTION OF STRUCTURES — CODE OF PRACTICE	73
1.1.	Possibilities and limitations of the technique	73
1.1.1.	Constraints linked to the immediate environment	73
1.1.2.	Special soil conditions	74
1.1.3.	Water tables	75
1.2.	Choice of the soil nailing technique	75
1.3.	General geometric layout	76
1.3.1.	Facing — elevation and layout plan	76
1.3.2.	Length, layout, and angle of installation of the nails	78
1.4.	Construction provisions	80
1.4.1.	Protection against entry of water	80
1.4.2.	Embedment of facing toe	81
1.4.3.	Aesthetics of the structures	82
1.5.	Mixed structures	82

1.6.	Preliminary design	84
1.6.1.	Objectives of preliminary design	84
1.6.2.	Influence of the technology involved and influence of the geometric parameters	85
1.6.3.	Nailing density parameter	86
1.6.4.	Preliminary design charts	88
2.	PRINCIPLES USED WHEN CALCULATING THE DESIGN OF STRUCTURES	91
2.1.	Analysis of stability	91
2.1.1.	Calculations of deformations	91
2.1.2.	Limit equilibrium methods	92
2.1.3.	Limit equilibrium methods with relative displacements	93
2.2.	Assessing displacements	93
2.3.	Experimental justifications	94
2.3.1.	Behavior of structures in service and at failure	94
2.3.2.	The four failure modes	96
2.3.3.	Justifications based on failure in actual structures	96
2.3.4.	Simultaneous mobilization of resistances	97
2.4.	French and international contexts	98
2.4.1.	French context	98
2.4.2.	International context	100
2.4.2.1.	The German method — Stocker et al., (1979)	100
2.4.2.2.	The Shen method, USA (1978)	101
2.4.2.3.	Juran design method (1990)	103
3.	GENERAL METHOD FOR STUDYING THE STABILITY OF A SOIL NAILED STRUCTURE	105
3.1.	Limit state design — Assumptions and data	105
3.1.1.	Principles of limit state design	105
3.1.1.1.	Basic formula	105
3.1.1.2.	How to account for nails and prestressed ground anchors	106
3.1.2.	Actions	107
3.1.2.1.	Types of actions	107
3.1.2.2.	Characteristic values of these actions	108
3.1.2.3.	Combination of actions and calculations	110
3.1.3.	Resistances	111
3.1.3.1.	Failure criteria of materials	111
3.1.3.2.	Characteristic values of strength parameters	113
3.1.3.3.	Calculation values of strengths	114
3.1.4.	Situations	115
3.2.	Calculation methods	117
3.2.1.	Stages of calculation	117
3.2.2.	Determination of nail forces at failure ("multicriteria" rule)	117
3.2.2.1.	Failure criteria and limit equilibrium methods	117
3.2.2.2.	Combinations of failure criteria	123
3.2.2.3.	Rule for determining forces	124

3.2.3.	Calculating the stability of the soil nailed structure	128
3.2.4.	Examples of calculations and design	130
3.2.4.1.	Example of the Eparris wall	130
3.2.4.2.	Example of CEBTP Experiment No.1	133
3.2.4.3.	Example of a mixed soil nailed wall with surcharges and partial drainage in a layer system	136
3.2.5.	Simplified methods	136
3.2.5.1.	Assumptions	136
3.2.5.2.	Conditions of use	140
3.3.	Safety considerations	140
3.3.1.	Practical rules	140
3.3.2.	Illustration	141
4.	JUSTIFYING THE FACING	141
4.1.	Mechanical role of the facing — Modelling for the calculations	141
4.2.	Determining the forces applied on facing	142
4.3.	Design of the facing	143
4.4.	Justifications of the resistance	144
4.4.1.	Justification under bending	144
4.4.2.	Justification of a punching mode of failure around the nail head	145
	BIBLIOGRAPHY	146
	Appendix 1: CHARTS GIVING THE UNIT SKIN FRICTION Q_s FOR PRELIMINARY DESIGN OF THE NAILS	149
1.	DATA BANK	149
2.	PRELIMINARY DESIGN CHARTS	151
3.	DESIGN METHOD	152
	Appendix 2: STABILITY CHARTS FOR PRELIMINARY DESIGN OF SOIL NAILED WALLS	157
1.	NAILING DENSITY	157
2.	STABILITY DESIGN CHARTS FOR PRELIMINARY DESIGN OF SOIL NAILED WALLS	158
3.	USING THE CHARTS	158
4.	SAFETY VERIFICATIONS	162
4.1.	Traditional method	162
4.2.	Calculating at ultimate limit state	162

Appendix 3: STABILITY OF A WEDGE OF SOIL REINFORCED BY ONE NAIL	163
Chapter 4: INVESTIGATION AND TESTS	167
1. GEOTECHNICAL STUDY	167
1.1. Preliminary investigation	167
1.2. Soil investigation	167
1.3. Laboratory and in situ tests	168
1.3.1. Cohesionless soils	169
1.3.2. Cohesive soils	169
1.3.3. Characteristic values of strength parameters	170
1.4. Determination of the soil corrosion potential	170
1.5. Hydrogeological study	170
2. NAIL TESTS	170
2.1. Tests objective	170
2.2. Different types of tests	170
2.3. Objectives of the different tests	171
2.3.1. Preliminary tests	171
2.3.2. Conformity tests at the beginning of the construction	172
2.3.3. Inspection tests during construction	173
2.4. Contractor's duties	173
2.5. Nail tests and reaction forms	173
2.5.1. Nail tests location	173
2.5.2. Reaction forms	174
2.5.3. Nail installation for the three types of tests	174
2.6. Nail tests procedure	175
2.6.1. Choice of the procedure	175
2.6.2. Choice of the maximum load capacity for the nail tests	176
2.6.3. Materials and equipment used during tests	177
2.7. Controlled displacement pull-out tests (constant speed)	178
2.7.1. Test procedure	178
2.7.2. Interpretation of test result	179
2.7.2.1. Generalities	180
2.7.2.2. Behavior of nail under service conditions ($T_o < T_L$)	182
2.7.2.3. Behavior of nail at failure $T_o = T_L$	185
2.7.2.4. Calculations of the unit skin friction q_s	186
2.8. Controlled force tests (creep steps)	187
2.8.1. Procedure for controlled force tests	187
2.8.2. Interpretation of the results of the controlled pull-out test	188
2.8.2.1. Drawing of the creep curves	188
2.8.2.2. Determination of the critical creep tension	189
2.8.2.3. Drawing of the force-displacement curve	190
2.9. Determination of the characteristic limit pull-out force	190

BIBLIOGRAPHY	191
Appendix: CALCULATIONS OF NAIL DISPLACEMENTS	193
1. GENERALITIES	193
2. CALCULATIONS OF DISPLACEMENT	195
2.1. First phase ($y_0 < y_1$)	195
2.2. Second phase: at failure	198
2.3. Example of a full calculation	199
Chapter 5: WALL STRUCTURES CONSTRUCTION	203
1. GENERAL PROVISIONS	203
1.1. General aspects — Principle governing the construction of the structures	203
1.2. Earthworks	204
1.3. Choice of an installation method for the inclusions	205
1.4. Selection of the method to be used to lay the concrete of the facing	206
1.5. Resources used — Equipment	206
1.6. Controls — Monitoring deformations of the structures	207
1.7. Program for the construction of the structures	207
2. CONDUCT OF THE WORK	208
2.1. Earthworks	208
2.1.1. Height of earthworks	208
2.1.2. Special provisions	210
2.1.3. Construction time	211
2.1.4. Anomalies — Incidents	213
2.2. Protection against percolation water	213
2.3. Installation of inclusions	214
2.3.1. Inclusions directly driven into the soil	215
2.3.1.1. Constitution of the inclusions	215
2.3.1.2. Installation (figure 7)	215
2.3.1.3. Blocking the inclusion against (or in) the facing	216
2.3.2. Inclusion secured in a borehole	216
2.3.2.1. Characteristics of the inclusions	216
2.3.2.2. Installation	217
2.3.2.3. Attaching the inclusion against the facing	220
2.4. Installation of facing reinforcing bars	220
2.5. Placing the concrete of the facing	222
2.5.1. Cast-in-place concrete	222
2.5.2. Shotcrete	223
2.6. Stability of the facing	224
REFERENCES	225

Chapter 6: DURABILITY OF STRUCTURES	227
1. INTRODUCTION AND AREA OF APPLICATION	227
2. CLASSIFYING STRUCTURES ACCORDING TO THEIR PLANNED USE	228
3. CLASSIFYING SOILS ACCORDING TO THEIR AGGRESSIVITY	229
3.1. Objective and area of application	229
3.2. General principles	229
3.3. Evaluating the corrosiveness of the soil	230
3.3.1. Overall corrosiveness index	230
3.3.2. Electrolytic effect of electric currents: "stray" currents	231
3.4. Determining which characteristics will be used when assessing the the corrosiveness of soils	231
3.4.1. Type of soil	231
3.4.2. Resistivity	231
3.5. Phreatic water table	232
3.6. pH	232
3.7. Interpreting the results	232
4. PROTECTION FOR METALLIC REINFORCEMENTS	233
4.1. Generalities	233
4.2. Standard steels (elastic limit $\sigma_e \geq 500$ MPa)	233
4.2.1. Thickness sacrificed to corrosion	234
4.2.2. Protection using plastic sheath	235
4.2.3. Galvanization	235
4.2.4. Protection with nonmetallic coating	236
4.3. High strength steels with a high elastic limit ($\sigma_e > 500$ MPa)	236
4.4. Alloyed materials and passive steels	236
5. REINFORCEMENT PROTECTION USING "SYNTHETIC MATERIALS"	237
6. DURABILITY OF THE FACING	237
6.1. Concrete facing	237
6.2. Facing with steel panels	238
6.3. Facing with other materials	238
7. PROTECTING THE NAIL HEADS AND AREAS THAT INTERFACE WITH THE FACING	239
7.1. Generalities	239
7.2. Types of protection	240
8. MONITORING OF THE CORROSION PROCESS	244
BIBLIOGRAPHY	245
Appendix: SPECIFIC TEST METHODS	247

Chapter 7:	SPECIFICATIONS AND INSPECTIONS	251
1.	SPECIFICATION AND INSPECTION OF MATERIALS	251
1.1.	Materials used for nail reinforcements	251
1.1.1.	Metal reinforcements	251
1.1.2.	Nonmetal bars	252
1.2.	Procedures and materials for protecting nail bars against corrosion	253
1.2.1.	Protection for standard steels	253
1.2.2.	Protection for prestressing steels	253
1.3.	Grout used for securing the nails	253
1.3.1.	Specifications for grout components	253
1.3.1.1.	Cements	253
1.3.1.2.	Water	253
1.3.1.3.	Specific ingredients and additives	254
1.3.2.	Specifications relating to grout mix design	254
1.3.3.	Checking the quality of the grout	254
1.3.3.1.	Checking that the grout components conform	254
1.3.3.2.	Conformity and control tests	254
1.3.3.3.	Test frequency	257
1.4.	Concrete bars for the facing	257
1.5.	Concrete to be used for the facing (shotcrete or cast-in-place)	258
1.5.1.	Shotcrete	258
1.5.1.1.	Specifications relating to the concrete mix design	258
1.5.1.2.	Specifications regarding the mix design (composition and proportions) of fresh concrete	262
1.5.1.3.	Controlling the quality of the shotcrete	262
1.5.2.	Cast-in-place concrete	265
1.5.2.1.	Specifications for the ingredients, composition, and proportions used	265
1.5.2.2.	Inspecting the quality of the concrete	265
1.6.	Drainage materials and devices	265
1.6.1.	Purpose of drainage	265
1.6.2.	Drainage devices used	266
1.6.3.	Drainage materials	266
2.	CONSTRUCTION INSPECTION OF A SOIL NAILED WALL	267
2.1.	Documents to be produced before work starts	267
2.1.1.	Document specifying the structural design of the soil nailed wall	267
2.1.2.	Drainage devices	267
2.1.3.	Detailed plan showing the various phases involved in the excavation, nailing, and construction of the reinforced concrete facing	267
2.2.	Inspections to be carried out during construction	267
2.2.1.	Checking conformity of the ground and its hydrogeology with the geotechnical data available	267

2.2.2.	Inspecting to ensure that the work conforms with the construction documents	268
2.2.2.1.	Installation of the nails	268
2.2.2.2.	Planning the various construction phases	269
2.2.2.3.	Placing shotcrete	269
3.	PULL-OUT TESTS ON NAILS DURING CONSTRUCTION	269
4.	CHECKING THE BEHAVIOR OF A SOIL NAILED WALL	270
4.1.	Checking the behavior of a soil nailed wall during construction	270
4.1.1.	The need for inspections	270
4.1.2.	Defining the inspections	270
4.1.3.	Types of inspection and their purposes	270
4.1.3.1.	Inspecting for evidence of movements	270
4.1.3.2.	Checking the tension in the nails	271
4.1.3.3.	Visual inspections of the concrete facing, checking the drainage and piezometric levels	271
4.1.4.	Inspection timetables	271
4.2.	Checking the behavior of the soil nailed wall when it is in service	271
4.2.1.	The need for inspections	271
4.2.2.	Defining the inspections	272
4.2.3.	Type of inspections and procedures	272
4.2.3.1.	Checking for movements	272
4.2.3.2.	Checking the tensile forces on the nails	272
4.2.3.3.	Inspecting the drainage facilities and piezometric levels	272
4.2.3.4.	Inspecting the durability of the nails: bar samples for quality control	272
4.2.4.	Inspection frequency	273
4.2.4.1.	Inspecting for displacements of the soil nailed wall and for tension in the nails	273
4.2.4.2.	Inspecting the drainage devices	274
4.2.4.3.	Inspecting the durability of the structure	274
4.2.5.	Maintaining the drainage network	274
	BIBLIOGRAPHY	275
	ABBREVIATIONS	277
	LEXICON	281
	FRENCH STANDARDS WITH CORRESPONDING ISO/ASTM/BSI/DIN	289