


VOLUME 36  
NUMBER 1 / NUMÉRO 1  
JANUARY / JANVIER  
2009


An NRC Research Press  
**JOURNAL**  
Une REVUE des  
Presses scientifiques du CNRC



Canadian Journal of  
**CIVIL ENGINEERING**  
*cjce.nrc.ca*  
Including papers submitted to the  
**JOURNAL OF ENVIRONMENTAL ENGINEERING AND SCIENCE**

Revue canadienne de  
**GÉNIE CIVIL**  
*rcgc.cnrc.ca*

Y compris les articles envoyés à  
**LA REVUE DU GÉNIE ET DE LA SCIENCE DE L'ENVIRONNEMENT**



*Contents (concluded). / Table des matières (suite et fin)*

- Paraic H. Rattigan, Arturo González, and Eugene J. O'Brien** **73-84** Influence of pre-existing vibrations on the dynamic response of medium span bridges

**Transportation engineering**

ARTICLES

- Jonathan D. Regehr, Jeannette Montufar, and Garrett Rempel** **40-49** Safety performance of longer combination vehicles relative to other articulated trucks
- Nedal T. Ratrout and Maen Abdullatif Abu Olba** **95-102** Adequacy of TRANSYT-7F and Synchro models along a major arterial in Saudi Arabia
- Ryan Bakay, Ezzeldin Yazeed Sayed-Ahmed, and Nigel Graham Shrive** **103-121** Interfacial debonding failure for reinforced concrete beams strengthened with carbon-fibre-reinforced polymer strips

TECHNICAL NOTE

NOTE TECHNIQUE

- Zübeyde Öztürk and Turgut Öztürk** **122-125** Study on the effect of two different projects on commuter rail line capacity

**Engineering Materials**

CORRIGENDUM

- Amjad Naseer, Abdul Jabbar, Akhtar Nazeem Khan, Qaisar Ali, Zakir Hussain, and Jahangier Mirza** **126** Corrigendum: Performance of Pakistani volcanic ashes in mortars and concrete

**Matériaux d'ingénierie**

RECTIFICATIF

**Papers submitted to the Journal of Environmental Engineering and Science**

ARTICLES

**Articles soumis à la Revue du génie et de la science de l'environnement**

ARTICLES

- Maruf Mortula, Shannon M. Bard, Margaret E. Walsh, and Graham A. Gagnon** **127-136** Aluminum toxicity and ecological risk assessment of dried alum residual into surface water disposal
- K.I. Ashley, D.S. Mavinic, and K.J. Hall** **137-147** Effect of orifice diameter, depth of air injection, and air flow rate on oxygen transfer in a pilot-scale, full lift, hypolimnetic aerator
- R. Subha and C. Namasivayam** **148-159** Kinetics and isotherm studies for the adsorption of phenol using low cost micro porous ZnCl<sub>2</sub> activated coir pith carbon
- Siva Sarathy and Madjid Mohseni** **160-169** The fate of natural organic matter during UV/H<sub>2</sub>O<sub>2</sub> advanced oxidation of drinking water



National Research  
Council Canada  
Ottawa, Canada  
K1A 0R6

Conseil national  
de recherches Canada  
Ottawa, Canada  
K1A 0R6

Postage paid at Ottawa  
Publications mail  
Registration No. 40062591  
Port payé à Ottawa  
Poste-publication  
Enregistrement n° 40062591

USPS periodical postage paid at Plattsburgh, NY 12901, USA

Canadian Journal of

# CIVIL ENGINEERING

Volume 36, Number 1, January 2009

## Construction engineering

ARTICLE

**Curtis Berthelot, Brent Marjerison, Rock Gorlick, Diana Podborochynski, Jena Fair, and Erin Stuber**

**14-25**

## Ingénierie de la construction

ARTICLE

Field investigation of granular base rehabilitation project incorporating a woven geotextile separation layer, sand, and cement stabilization

## Engineering mechanics

ARTICLE

**Yail J. Kim, T. Ivan Campbell, Colin MacDougall, and Mark F. Green**

**85-94**

## Mécanique appliquée

ARTICLE

Mechanical behaviour of a hyperelastic pad for an integrated cross-tie trackwork system

## Hydrotechnical engineering

ARTICLES

**E. Kordi, S.A. Ayyoubzadeh, M.Z. Ahmadi, and A. Zahiri**

**1-13**

## Hydraulique

ARTICLES

Prediction of the lateral flow regime and critical depth in compound open channels

**Turgay Partal**

**26-39**

River flow forecasting using different artificial neural network algorithms and wavelet transform

## Structural engineering

ARTICLES

**P.L. Shrive, T.G. Brown, J.P. Newhook, J. Kroman, G.S. Tadros, and N.G. Shrive**

**50-62**

## Ingénierie des structures

ARTICLES

Initial performance of the lower deck of the Centre Street Bridge, Calgary

**Woo Bum Kim, Kangmin Lee, and Gil Hee Kim**

**63-72**

Application of friction pendulum system to the main control room of a nuclear power plant

*Continued on inside back cover / Suite au verso*

Front cover: **top left**, stepped spillway in operation at Wilde Lake in Columbia, Maryland, on 23 March 2005 after a 1-year storm event (photo courtesy of Christopher Goodell; see Chanson in the August 2007 issue, pp. 946-951); **top right**, aerial photo (taken July 1999) of the Annacis Island Wastewater Treatment Plant showing the completed secondary treatment facilities designed to treat wastewater from about one million people, with an average dry weather flow of 480 million litres per day (photo courtesy of Colin Jewall, when under assignment to the Greater Vancouver Regional District); **bottom left**, oil tank damaged due to fire during the Kocaeli, Turkey, earthquake, 17 August 1999 (photo courtesy of Dr. Kenneth Elwood, The University of British Columbia); **bottom right**, diagonally divided concrete cubes placed as an erosion protection at diversion tunnel No. 1 of the Seymareh Dam in Iran (see Emami and Schleiss in the January 2006 issue, pp. 81-92).

**Page couverture : gauche supérieure**, passage de la crue dans l'évacuateur de crues en marches d'escalier au Wilde Lake, à Columbia (Maryland), le 23 mars 2005 après un événement pluvio-hydrologique d'un an (photo courtoisie de Christopher Goodell; voir Chanson, numéro de août 2007, p. 946-951); **droite supérieure**, photo aérienne (juillet 1999) de la station d'épuration des eaux usées de l'île Annacis qui montre les installations d'épuration secondaire conçues pour traiter les eaux usées d'environ un million de personnes, avec un débit moyen par temps sec de 48 millions de litres par jour (photo courtoisie de Colin Jewall, lors de son affectation au district régional du Grand Vancouver); **gauche inférieure**, réservoir d'huile endommagé par le feu durant le séisme de Kocaeli en Turquie, 17 août 1999 (photo courtoisie de Kenneth Elwood, The University of British Columbia); **droite inférieure**, cubes de béton séparés en diagonale et utilisés comme mesure de protection contre l'érosion à la sortie de la galerie de dérivation n° 1 du barrage de Seymareh en Iran (voir Emami et Schleiss, numéro de juin 2006, p. 81-92).

