



VOLUME 35
NUMBER 3 / NUMÉRO 3
MARCH / MARS
2008

An NRC Research Press
JOURNAL
Une REVUE des
Presses scientifiques du CNRC



CIVIL ENGINEERING

Canadian Journal of
Civil Engineering
cjce.nrc.ca

Revue canadienne de
GÉNIE CIVIL
rcgc.cnrc.ca



National Research
Council Canada

Conseil national
de recherches Canada

NRC-CARC

Contents (concluded) / Table des matières (suite et fin)

Shahid Kabir, Patrice Rivard, and Gérard Ballivy	258–267	Neural-network-based damage classification of bridge infrastructure using texture analysis
A. Talon, D. Boissier, and J. Lair	287–300	Service-life assessment of building components: application of evidence theory
Transportation engineering		Ingénierie des transports
	ARTICLE	ARTICLE
Jin-Tae Kim, Joonhyon Kim, and Myungsoon Chang	301–311	Lane-changing gap acceptance model for freeway merging in simulation

Canadian Journal of
CIVIL ENGINEERING

Volume 35, Number 3, March 2008

Revue canadienne de
GÉNIE CIVIL

Volume 35, numéro 3, mars 2008

Construction engineering

ARTICLES

**Sangchul Kim, Chanjeong Park,
Sangyoub Lee, and Jaeho Son**

225–235

**M. Pilar de la Cruz, Alfredo del Caño,
and Elisa de la Cruz**

276–286

Engineering materials

ARTICLES

Mustafa Şahmaran and İ Özgür Yaman

236–245

A. Zaidi and R. Masmoudi

312–320

Engineering mechanics

ARTICLE

**Morched Zeghal
and ElHussein H. Mohamed**

268–275

Structural engineering

ARTICLES

Zbigniew Manko and Damian Beben

246–257

Ingénierie de la construction

ARTICLES

Integrated cost and schedule control in the Korean construction industry based on a modified work-packaging model

New paradigms for public procurement of construction projects in the United Kingdom — potential applicability in Spain

Matériaux d'ingénierie

ARTICLES

Influence of transverse crack width on reinforcement corrosion initiation and propagation in mortar beams

Thermal effect on fiber reinforced polymer reinforced concrete slabs

Mécanique appliquée

ARTICLE

Assessment of analytical tools used to estimate the stiffness of asphalt concrete

Ingénierie des structures

ARTICLES

Dynamic testing of a corrugated steel arch bridge

Continued on inside back cover / Suite au verso

Front cover: *top left*, oblique aerial photograph of an unimpeded ice run on the Porcupine River, Yukon Territory, Canada, 15 May 1993 (see Jasek. 2003. *Canadian Journal of Civil Engineering*, 30(1): 113–127); *top right*, merging of Greater Vancouver EMME/2 model traffic volumes with digital orthophotos (C. Lim and B. Clement, Strategic Planning Department, Greater Vancouver Transportation Authority), EMME/2 is a registered trademark of Les Conseillers INRO Consultants, Inc. [digital orthophoto (1999) courtesy of McElhanney Consulting, Vancouver, B.C., Canada]; *bottom left*, damage from the 26 December 2004 tsunami, showing impact loads (over and above those caused by wave pressures) caused by floating debris, such as a police car on a building near downtown Banda Aceh, Indonesia (photo courtesy of Dr. Murat Saatcioglu, University of Ottawa); *bottom right*, lifting out the hydraulic excavators from 20 m below grade on the Confederation Plaza project, Vancouver, B.C., Canada (photo courtesy of Dr. Alan Russell, The University of British Columbia).

Page couverture : *gauche supérieure*, dérive des glaces libres sur la rivière Porcupine, Territoire du Yukon, Canada, le 15 mai 1993, en photographie aérienne oblique (voir Jasek. 2003. *Revue canadienne de génie civil*, 30(1) : 113-127); *droite supérieure*, fusionnement des modèles de volumes de circulation EEME/2 du Grand Vancouver à l'aide d'orthophotos digitales (C. Lim et B. Clement, Strategic Planning Department, Greater Vancouver Transportation Authority), EMME/2 est une marque déposée de Les Conseillers INRO Consultants, Inc. [ortho-photo digitale (1999) courtoisie de McElhanney Consulting, Vancouver, C.-B., Canada]; *gauche inférieure*, lors du tsunami du 26 décembre 2004, dommages dus aux charges dynamiques causées par des débris flottants, tel cette auto-patrouille près du centre-ville de Banda Aceh, Indonésie, en plus des dommages dus à la pression des vagues (photo courtoisie de Murat Saatcioglu, Université d'Ottawa); *droite inférieure*, sortie d'excavatrices hydrauliques situées à 20 m sous le niveau du sol, projet de la Confederation Plaza, Vancouver, C.-B., Canada (photo offerte par Alan Russell, The University of British Columbia).

