September 1, 2004 Science & Technology

# Modeling the Long-Term Performance of TE Containme Systems 🛵

PFOS and Related Fluorochemicals in Human Blood from Several Countries

Reduction of Cr(VI) at a Polyaniline Film

PUBLISHED BY THE AMERICAN

# Research

## Characterization of Natural and Affected Environments

#### 4465

Chemical Characterization of Ambient Particulate Matter near the World Trade Center: Elemental Carbon, Organic Carbon, and Mass Reconstruction

David A. Olson, Gary A. Norris, Matthew S. Landis, and Alan F. Vette Longitudinal and spatial trends in ambient PM<sub>2.5</sub> near the World Trade Center complex are characterized.

#### 4474

Using Passive Air Samplers To Assess Urban–Rural Trends for Persistent Organic Pollutants. 1. Polychlorinated Biphenyls and Organochlorine Pesticides

Tom Harner, Mahiba Shoeib, Miriam Diamond, Gary Stern, and Bruno Rosenberg

Two types of samplers—polyurethane foam disks and semipermeable membrane devices—are used to measure semivolatile organic compounds in Toronto over an integrated time period.

#### 4484

Tracking Polybrominated Diphenyl Ether Releases in a Wastewater Treatment Plant Effluent, Palo Alto, California

Karin D. North

Effluent and sludge at a wastewater treatment plant in California are analyzed for PBDEs; total PBDE concentrations in effluent discharge are estimated.

#### 4489

# Perfluorooctanesulfonate and Related Fluorochemicals in Human Blood from Several Countries

Kurunthachalam Kannan, Simonetta Corsolini, Jerzy Falandysz, Gilberto Fillmann, Kurunthachalam Senthil Kumar, Bommanna G. Loganathan, Mustafa Ali Mohd, Jesus Olivero, Nathalie Van Wouwe, Jae Ho Yang, and Kenneth M. Aldous

While perfluorooctanesulfonate predominates, results suggest that sources have varying levels and compositions of perfluorochemicals and that there are differences in exposure patterns to these chemicals in various countries.

#### 4496

# An FTIR-DRIFT Study on River Sediment Particle Structure: Implications for Biofilm Dynamics and Pollutant Binding

Tom Gallé, Barend Van Lagen, Andreas Kurtenbach, and Reinhard Bierl DRIFT measurements of recently deposited river sediments suggest that hydrological regime strongly affects organic matter structure as well as metal binding and bioavailability in sediments.

#### 4503

Uptake of Sediment-Bound Bioavailable Polychlorobiphenyls by Benthivorous Carp (*Cyprinus carpio*)

Caroline T. A. Moermond, Frank C. J. M. Roozen, John J. G. Zwolsman, and Albert A. Koelmans

Fast-desorbing PCB fractions explain bioaccumulation in benthivorous fish.

### **Environmental Processes**

#### 4510

Sorption of the Herbicide Dichlobenil and the Metabolite 2.6-Dichlorobenzamide on Soils and Aquifer Sediments

Liselotte Clausen, Flemming Larsen, and Hans-Jorgen Albrechtsen

Sorption of the herbicide dichlobenil and the metabolite 2,6-dichlorobenzamide on soils and aquifer sediments is studied, as well as effects of sediment composition, organic carbon, and redox status.

### Notices to ES&T authors

- 1. Effective now, titles must be included in the Reference section of *ES&T* research papers.
- Effective January 1, 2005, all ES&T research papers must be submitted via the Web (https://paragon.acs.org/ paragon/index.jsp). Email submissions or paper copies will not be accepted.

#### 4519

#### Food Web Pathway Determines How Selenium Affects Aquatic Ecosystems: A San Francisco Bay Case Study

A. Robin Stewart, Samuel N. Luoma, Christian E. Schlekat, Martina A. Doblin, and Kathryn A. Hieb

Specific differences in selenium uptake among primary consumers are propagated through the food web and result in differences in contaminant accumulation in top predators.

#### 4527

#### Arsenic Speciation of Solvent-Extracted Leachate from New and Weathered CCA-Treated Wood

Bernine I. Khan, Helena M. Solo-Gabriele, Brajesh K. Dubey, Timothy G. Townsend, and Yong Cai

Arsenic species in leachates from new and weathered CCA-treated wood and ash of varying retentions are quantified by extraction using various solvents.

#### 4535

# Antimony(III) Binding to Humic Substances: Influence of pH and Type of Humic Acid

Johanna Buschmann and Laura Sigg

Chemical modeling of the pH-dependent binding of Sb(III) to three humic acids is consistent with two binding sites, which involve a phenolic and a carboxylic entity.

### 4542

#### Protection of Mesopore-Adsorbed Organic Matter from Enzymatic Degradation

Andrew R. Zimmerman, Jon Chorover, Keith W. Goyne, and Susan L. Brantley

Experiments show that organic substrates sorbed within mineral mesopores are unavailable to degradative enzymes and thus provide a possible mechanism for preserving sediment and soil organic matter.

#### 4549

# Effects of Particulate Carbonaceous Matter on the Bioavailability of Benzo[a]pyrene and 2,2',5,5' Tetrachlorobiphenyl to the Clam, *Macoma balthica*

Pamela B. McLeod, Martine J. van den Heuvel-Greve, Richelle M. Allen-King, Samuel N. Luoma, and Richard G. Luthy

The bioavailability of a BaP and a PCB to *Macoma balthica* varied significantly according to the carbonaceous particle type to which they were bound.

Supporting Information is available free of charge via the Internet at http://pubs.acs.org.

#### 4557

### NO<sub>2</sub> Emissions from Agricultural Burning in São Paulo, Brazil

Clive Oppenheimer, Vitchko I. Tsanev, Andrew G. Allen, Andrew J. S. McGonigle, Arnaldo A. Cardoso, Antony Wiatr, Willian Paterlini, and Cristine de Mello Dias

New measurements of  ${\rm NO}_2$  emissions from agricultural burning were made with compact ultraviolet spectrometers.

#### 4562

# Effect of Tides on Solute Flushing from a Strait: Imaging Flow and Transport in the East River with SF<sub>6</sub>

Theodore Caplow, Peter Schlosser, David T. Ho, and Rica C. Enriquez The residence time of solutes in a tidal strait that connects two large bays is revealed to be a strong function of tidal phase at time of discharge.

#### 4572

# Metabolism and Mineralization of Hexahydro-1,3,5-trinitro-1,3,5-triazine Inside Poplar Tissues ( $Populus deltoides \times nigra DN-34$ )

Benoit Van Aken, Jong M. Yoon, Craig L. Just, and Jerald L. Schnoor Poplar tissue cultures can metabolize the explosive RDX through a light-dependent multi-step process that results in a partial mineralization of the molecule.

#### 4580

# Modeling of TCE Diffusion to the Atmosphere and Distribution in Plant Stems

Xingmao Ma and Joel Burken

According to modeling and validation experiments, VOCs can diffuse and subsequently volatize to the atmosphere during phytoremediation.

#### 4587

## Reduction of Aqueous Chromate by Fe(II)/Fe(III) Carbonate Green Rust: Kinetic and Mechanistic Studies

Ludovic Legrand, Alaaeddine El Figuigui, Florence Mercier, and Annie Chausse

Reduction of aqueous chromate by carbonate green rust is investigated, and a kinetic model based on the formation of successive Cr(III) monolayers is developed.

#### 4596

### Electrokinetic Transport of PAH-Degrading Bacteria in Model Aquifers and Soil

Lukas Y. Wick, Philipp A. Mattle, Pierre Wattiau, and Hauke Harms An investigation is presented of the mobility, viability, and activity of polycyclic aromatic hydrocarbon degrading bacteria under electrokinetic conditions applied to model aquifers and soil.

#### 4603

# Reactions of the Flavonoid Hesperetin with Chlorine: A Spectroscopic Study of the Reaction Pathways

Junhe Lu, Mark M. Benjamin, Gregory V. Korshin, and Hervé Gallard On the basis of a combination of absorbance spectroscopy and tandem mass spectrometry, the chlorination pathways for the flavonoid hesperetin, which is a model for natural organic mater-

#### 4612

ial, are elucidated.

### Emissions of Air Pollutants from Household Stoves: Honeycomb Coal versus Coal Cake

Su Ge, Xu Xu, Judith C. Chow, John Watson, Qing Sheng, Weili Liu, Zhipeng Bai, Tan Zhu, and Junfeng Zhang

Concentrations, emission rates, and factors of PM, SO<sub>2</sub>, NO<sub>x</sub>, benzo[a]pyrene, fluoride, and toxic elements in PM are compared; the PM elemental source profile is characterized.

# **Environmental Modeling**

#### 4619

### Adaptation of Fugacity Models to Treat Speciating Chemicals with Constant Species Concentration Ratios

Liisa K. Toose and Donald Mackay

A "multiplier" method is developed whereby existing models that describe the fate of single-species chemicals can be adapted to estimate the fate of multispecies substances.

#### 4627

# Modeling Crude Oil Droplet-Sediment Aggregation in Nearshore Waters

Michael C. Sterling, Jr., James S. Bonner, Cheryl A. Page, Christopher B. Fuller, Andrew N. S. Ernest, and Robin L. Autenrieth

A modeling approach simulates changes in particle size distribution and density due to aggregation by extending the Smoluchowski kinetic model to particles of different density.

# **Environmental Measurements Methods**

### 4635

### A New Method for Separating HFC-134a from Gas Mixtures Using Clathrate Hydrate Formation

Yongwon Seo, Hideo Tajima, Akihiro Yamasaki, Satoshi Takeya, Takao Ebinuma, and Fumio Kiyono

A new method that uses gas hydrate formation is proposed for separating HFC-134a from gas mixtures containing nitrogen and HFC-134a.

#### 4640

# In-Line Laser Holography and Video Analysis of Eroded Floc from Engineered and Estuarine Sediments

Rupert G. Perkins, Hongyue Sun, John Watson, Mike A. Player, Giselher Gust, and David M. Paterson

Laser holography and video analysis demonstrated that sediment erosion threshold and eroded floc size are functions of sediment biogenic polymer content and benthic algal biomass.

# **Remediation and Control Technologies**

#### 4649

### Compositions and Sorptive Properties of Crop Residue-Derived Chars

Yuan Chun, Guangyao Sheng, Cary T. Chiou, and Baoshan Xing The effect of charring temperature on char composition and the effect of surface acidity on the char's performance in sorption of neutral organic contaminants are evaluated.

#### 4656

### In Situ Chemical Reduction of Aquifer Sediments: Enhancement of Reactive Iron Phases and TCE Dechlorination

Jim E. Szecsody, Jonathan S. Fruchter, Mark D. Williams, Vince R. Vermeul, and Debbie Sklarew

Neutral to high pH must be maintained since reduction generates H<sup>+</sup>; sequential extractions on reduced sediment show that adsorbed ferrous iron controls TCE reactivity.

#### 4664

### Activated Carbon and Tungsten Oxide Supported on Activated Carbon Catalysts for Toluene Catalytic Combustion

M. A. Alvarez-Merino, M. F. Ribeiro, J. M. Silva, F. Carrasco-Marín, and F. J. Maldonado-Hódar

Tungsten oxides supported on activated carbon are cheap catalysts for toluene combustion at low temperatures but need high tungsten loading and contact times.

#### 4671

# Reduction of Cr(VI) at a Polyaniline Film: Influence of Film Thickness and Oxidation State

Sinéad T. Farrell and Carmel B. Breslin

Reduction of highly toxic hexavalent chromium to the trivalent state occurs efficiently at thick polyaniline films in the leuco-emeraldine oxidation state.

#### 4677

#### TCLP Underestimates Leaching of Arsenic from Solid Residuals under Landfill Conditions

Amlan Ghosh, Muhammed Mukiibi, and Wendell Ela

The Toxicity Characteristic Leaching Procedure is inappropriate for determining whether arsenic-bearing solid residuals of water treatment should be disposed of in nonhazardous landfills.

#### 4683

#### Organic Fouling and Chemical Cleaning of Nanofiltration Membranes: Measurements and Mechanisms

Qilin Li and Menachem Elimelech

Measurements of foulant–membrane and foulant–foulant interaction forces provide valuable insights into molecular-level mechanisms of organic fouling and chemical cleaning of nanofiltration membranes.

#### 4694

#### PCDD/F TEQ Indicators and Their Mechanistic Implications

Jeong-Eun Oh, Abderrahmane Touati, Brian K. Gullett, and James A. Mulholland

Stack-gas samples from two incinerator facilities are investigated to find toxic equivalent quantity indicators, and similarities in isomer patterns are examined.

# Correspondence/Rebuttal

#### 4701

Comment on "Critical Evaluation of Desorption Phenomena of Heavy Metals from Natural Sediments"

Astrid R. Jacobson and Philippe Baveye

#### 4703

Response to Comment on "Critical Evaluation of Desorption Phenomena of Heavy Metals from Natural Sediments"

Yan Gao, Amy T. Kan, and Mason B. Tomson

## **Additions and Corrections**

#### 4704

Formation of Carbonyl Sulfide by the Reaction of Carbon Monoxide and Inorganic Polysulfides

A. Kamyshny, Jr., A. Goifman, D. Rizkov, and O. Lev

Supporting Information is available free of charge via the Internet at http://pubs.acs.org.

