

The image shows the front cover of a technical handbook. The background is a dark blue gradient. On the right side, there is a photograph of several concrete masonry blocks. One large block is in the foreground, showing its textured surface and a vertical groove. Behind it, several other blocks are stacked in a staggered pattern. The text is printed in white on the dark blue background.

CONCRETE MASONRY
DESIGNER'S HANDBOOK

2ND EDITION

JOHN ROBERTS
ALAN TOVEY
ANTON FRIED

Contents

The Authors	xv		
Acknowledgements	xvi		
Notations	xvii		
1 Introduction	1		
References	4		
2 Principles of limit state design	5		
2.1 Introduction	5		
2.2 Limit states appropriate to masonry	5		
2.3 Partial safety factor format	6		
2.4 References	6		
3 Materials	7		
3.1 Introduction	7		
3.1.1 Strength	8		
3.1.1.1 Concrete blocks	8		
3.1.1.2 Concrete bricks	8		
3.1.2 Dimensions and tolerances	8		
3.1.2.1 Concrete blocks	8		
3.1.2.2 Concrete bricks	8		
3.1.3 Frost resistance	8		
3.1.3.1 Concrete blocks	8		
3.1.3.2 Concrete bricks	9		
3.1.4 Drying shrinkage and wetting expansion	9		
3.1.4.1 Concrete blocks	9		
3.1.4.2 Concrete bricks	9		
3.1.5 Impact resistance	9		
3.1.6 Density	11		
3.1.7 Fire resistance	11		
3.1.8 Thermal insulation	11		
3.1.9 Acoustic performance	11		
3.1.10 Water absorption	11		
3.1.11 Resistance to rain	11		
3.1.12 Bond to mortar	12		
3.1.13 Ease of finishing	12		
3.1.14 Ease of providing fixings	12		
3.1.15 Resistance to chemical attack	12		
3.2 Standard tests for blocks	13		
3.2.1 Strength	13		
3.2.1.1 Concrete blocks	13		
3.2.1.2 Concrete bricks	15		
3.2.2 Shrinkage	15		
3.2.2.1 Concrete blocks	15		
3.2.2.2 Concrete bricks	17		
3.2.3 Determination of block density, concrete volume and net area of hollow blocks	17		
3.2.3.1 Determination of density	17		
3.2.3.2 Determination of concrete volume	17		
3.2.3.3 Determination of block density and concrete density	17		
3.2.3.4 Determination of net area of hollow blocks	17		
3.2.4 Dimensions	18		
3.2.5 Moisture content	18		
3.2.6 Thermal insulation	18		
3.3 Quality control for blocks	19		
3.3.1 Introduction	19		
3.3.2 Performance of the testing machine	19		
3.4 Mortar strength	19		
3.4.1 Properties relevant to mortar selection	20		
3.4.2 Quality control for mortars	20		
3.5 Standard test for mortars	22		
3.5.1 Consistence by dropping ball	22		
3.5.2 Consistence retentivity and water retentivity	23		
3.5.3 Determination of the compressive strength of mortar	24		
3.5.4 Bond strength of mortar	24		
3.5.5 Stiffening rate	24		
3.5.6 Air content of freshly mixed mortars	25		
3.5.7 Tests for hardened mortars	26		
3.5.7.1 Sampling of hardened mortars	26		
3.5.7.2 Analysis of hardened mortars	26		

3.6	Wall ties	27	5.16	Thin joined walls	46
3.6.1	Durability	27	5.17	References	46
3.6.2	Flexibility	27			
3.6.3	Location of ties	27	6	Stability, robustness and overall layout	47
3.7	Damp-proof courses	27	6.1	Category 1 and Category 2 buildings	47
3.8	Reinforcement	27	6.2	Layout	47
3.9	Infill concrete and grout for reinforced masonry	28	6.3	1.5% horizontal load	49
3.10	Mechanical fixings for attaching components to masonry	29	6.4	Roof and floor connections	50
3.11	Mechanical fixing for tying structural elements	30	6.5	Misuse or accident	50
3.12	Method of test for structural fixings	30	6.6	Recommendations for Category 1 buildings (four storey and below)	50
3.13	References	31	6.7	Special recommendations – buildings of five storeys and over	50
			6.7.1	Option 1	50
			6.7.2	Option 2	54
			6.7.3	Option 3	54
4	Types of block and brick	33	6.8	References	55
4.1	Introduction	33	7	Walls under vertical load	57
4.2	Methods of manufacture	33	7.1	Background	57
4.2.1	Concrete blocks	33	7.1.1	Mortar strength and block strength	57
4.2.1.1	Autoclaved aerated blocks	33	7.1.1.1	Behaviour of a thin mortar layer between stronger blocks	57
4.2.1.2	The egglayer	33	7.1.1.2	Influence of aspect ratio of unit on wall strength	58
4.2.1.3	The static machine	34	7.1.1.3	Other factors	59
4.2.2	Concrete bricks	34	7.1.2	Characteristic wall strength	59
4.3	Appearance	34	7.1.3	Short walls subjected to eccentric load	59
4.3.1	Plain facing blocks	34	7.1.4	Slender walls	59
4.3.2	Split face blocks	35	7.1.5	Development of theoretical equations for slender walls	61
4.3.3	Tooled face blocks	35	7.2	Walls under vertical load – design	62
4.3.4	Profiled blocks	35	7.2.1	General	62
4.3.5	Slump blocks	35	7.2.2	Design loads and partial safety factors	62
4.3.6	Exposed aggregate blocks	35	7.2.3	Characteristic compressive strength of masonry	63
4.3.7	Scored face blocks	35	7.2.4	Design strength	63
4.3.8	Screen wall blocks	35	7.2.5	Effective height of wall	64
4.3.9	Coloured units	35	7.2.6	Effective thickness	65
4.4	Performance	36	7.2.7	The strength of short walls under eccentric loads	66
4.4.1	Thermal insulating blocks	36	7.2.8	Assessment of eccentricity	68
4.4.2	Separating wall blocks	36	7.2.9	Cavity walls with both leaves loaded	69
4.5	Ease of use	36	7.2.10	Diaphragm walls	69
4.5.1	Hollow blocks	36	7.2.11	Non-standard eccentricities of load	70
4.5.2	Cellular blocks	36	7.2.12	Walls with eccentricities in their own plane (shear walls)	71
4.5.3	Specials	36	7.3	Examples	73
5	Types of wall	39	7.3.1	Combined vertical and lateral load	73
5.1	Introduction	39	7.3.2	Combined vertical and horizontal load	74
5.2	Types of bonding pattern	39	7.3.3	Vertical load	75
5.2.1	Running bond	39	7.3.4	Strength of a biaxially bent pier	79
5.2.2	Other bonding patterns	40			
5.3	Single leaf wall	40			
5.4	Cavity walls	40			
5.5	Buttress	42			
5.6	Infill panels	42			
5.7	Gravity retaining walls	43			
5.8	Separating (or party) walls	43			
5.9	Fair faced walls	43			
5.10	Rendered masonry walls	44			
5.11	Diaphragm or cellular walls	45			
5.12	Fin walls	46			
5.13	Reinforced masonry	46			
5.14	Veneered and faced walls	46			
5.15	Collar jointed walls	46			

7.4	Structural design of low-rise buildings	80	8.4.1.2	Mortar	110
7.5	References	80	8.4.1.3	Reinforcement	110
8	Lateral loading on plain masonry	81	8.4.1.4	Panel dimensions	111
8.1	Background	81	8.4.2	Methods of design	111
8.1.1	Method 1 – Flexural strength approach	82	8.4.2.1	Method 1	111
8.1.1.1	Characteristic flexural strengths	82	8.4.2.2	Method 2	111
8.1.1.2	Behaviour of wall panels	83	8.4.2.3	Method 3	111
8.1.2	Method 2 – Arching approach	86	8.4.2.4	Method 4	111
8.2	Design to BS 5628: Part 1	88	8.4.3	Design example	111
8.2.1	Support conditions	88	8.4.3.1	Unreinforced wall	112
8.2.1.1	Accommodation for movement	89	8.4.3.2	Reinforced walls	112
8.2.1.2	Effect of tied piers	89	8.4.3.3	Comparison of methods 1 to 4	114
8.2.2	Design of solid single leaf walls	89	8.5	Bending moment coefficient tables	114
8.2.2.1	Free standing walls	89	8.6	Design to BS 5628: Part 3	121
8.2.2.2	Vertically spanning walls	90	8.6.1	Walls with edge restraint	121
8.2.2.3	Horizontally spanning walls	90	8.6.2	Free standing walls (without piers)	122
8.2.2.4	Walls spanning in two directions	91	8.6.3	Internal walls not designed for wind loading	127
8.2.2.5	Moment of resistance of panel	92	8.7	References	127
8.2.2.6	Shear strength of panel	93	9	Reinforced masonry	129
8.2.2.7	Slenderness limits	93	9.1	Introduction	129
8.2.2.8	Summary of design requirements	93	9.2	Design to BS 5628: Part 2	129
8.2.3	Design of double leaf (cavity) walls	95	Section 1: General	129	
8.2.4	Design with small vertical precompression	96	1.1	Scope	129
8.2.5	Design with substantial vertical load	96	1.2	References	129
8.2.6	Design of irregular shaped panels	96	1.3	Definitions	129
8.2.7	Design of panels with openings and line loads	97		Grouted cavity masonry	130
8.2.7.1	Line loads on panels	97		Pocket type masonry	130
8.2.7.2	Panels with openings	99		Quetta bond	130
8.2.7.3	Final assessment	100		Reinforced hollow blockwork	131
8.2.8	Influence of hollow blocks	100	1.4	Symbols	131
8.2.9	Influence of damp-proof courses	101	1.5	Alternative materials and methods of design and construction	132
8.3	Design examples to BS 5628: Part 1	102	References	132	
8.3.1	Laterally loaded masonry walls: Basic design example	102	Section 2: Materials and components	133	
8.3.1.1	Flexural design	103	2.1	General	133
8.3.1.2	Slenderness limits	103	2.2	Structural units	133
8.3.1.3	Design for shear	103		General	133
8.3.2	Example 1	104		Minimum strength requirement for masonry units	133
8.3.3	Example 2	106		Durability of masonry units	133
8.3.4	Example 3	107	2.3	Steel	133
8.3.5	Example 4	108	2.3.1	Reinforcing steel	133
8.3.6	Example 5	109		Stainless steel	134
8.4	Design of laterally loaded walls incorporating bed joint reinforcement	110		Electrostatically epoxy resin coated reinforcing bar	134
8.4.1	General design aspects	110		Types of bed joint reinforcement available in the UK	134
8.4.1.1	Safety factors	110	2.4	Damp-proof courses	134
			2.5	Wall ties	134
			2.6	Cements	135
			2.7	Aggregates	135
			2.8	Mortar	135
			2.8.1	General	135
			2.8.2	Readymixed mortars	135
			2.9	Concrete infill and grout	135
			2.10	Colouring agents for mortar	136

2.11	Admixtures	136	4.2.3	Limiting dimensions	143
2.11.1	General	136	4.2.3.1	General	143
2.11.2	Chlorides	136	4.2.3.2	Walls subjected to lateral loading	143
	Plasticisers for concrete	136	4.2.3.3	Beams	143
	Normal water-reducing admixtures	136	4.2.4	Resistance moments of elements	143
	Superplasticisers	136	4.2.4.1	Analysis of sections	144
	Mix design of superplasticised concrete	136	4.2.4.2	Design formulae for singly reinforced rectangular members	144
	Using a superplasticiser	137	4.2.4.3	Design formulae for walls with the reinforcement concentrated locally	144
	References	137	4.2.5	Shear resistance of elements	145
	Section 3: Design objectives and general recommendations	137	4.2.5.1	Shear stresses and reinforcement in members in bending	145
3.1	Basis of design	137	4.2.5.2	Concentrated loads near supports	147
3.1.1	Limit state design	137	4.2.6	Deflection	147
3.1.2	Limit states	138	4.2.7	Cracking	147
3.1.2.1	Ultimate limit state	138	4.3	Reinforced masonry subjected to a combination of vertical loading and bending	147
3.1.2.2	Serviceability limit state	138	4.3.1	General	147
3.2	Stability	138	4.3.2	Slenderness ratios of walls and columns	147
3.2.1	General recommendations	138	4.3.2.1	Limiting slenderness ratios	147
3.2.2	Earth-retaining and foundation structures	139	4.3.2.2	Lateral support	147
3.2.3	Accidental forces	139	4.3.2.3	Effective height	147
3.2.4	During construction	139	4.3.2.4	Effective thickness	148
3.3	Loads	139	4.3.3	Design	148
3.4	Structural properties and analysis	139	4.3.3.1	Columns subjected to a combination of vertical loading and bending	148
3.4.1	Structural properties	139	4.3.3.2	Walls subjected to a combination of vertical loading and bending	150
3.4.1.1	Characteristic compressive strength of masonry f_k	139	4.3.4	Deflection	151
3.4.1.2	Characteristic compressive strength of masonry in bending	140	4.3.5	Cracking	152
3.4.1.3	Characteristic shear strength of masonry	140	4.4	Reinforced masonry subjected to axial compressive loading	152
3.4.1.4	Characteristic strength of reinforcing steel f_v	141	4.5	Reinforced masonry subjected to horizontal forces in the plane of the element	152
3.4.1.5	Characteristic breaking load of prestressing steel	141	4.5.1	Racking shear	152
3.4.1.6	Characteristic anchorage bond strength, f_b	141	4.5.2	Bending	153
3.4.1.7	Elastic moduli	141	4.6	Detailing reinforced masonry	153
3.5	Partial safety factors	141	4.6.1	Area of main reinforcement	153
3.5.1	General	141	4.6.2	Maximum size of reinforcement	154
3.5.2	Ultimate limit state	142	4.6.3	Minimum area of secondary reinforcement in walls and slabs	154
3.5.2.1	Loads	142	4.6.4	Spacing of main and secondary reinforcement	154
3.5.2.2	Materials	142	4.6.5	Anchorage, minimum area, size and spacing of links	154
3.5.3	Serviceability limit state	142	4.6.5.1	Anchorage of links	154
3.5.3.1	Loads	142	4.6.5.2	Beam link	155
3.5.3.2	Materials	142			
3.5.4	Moments and forces in continuous members	142			
	References	142			
	Section 4: Design of reinforced masonry	143			
4.1	General	143			
4.2	Reinforced masonry subjected to bending	143			
4.2.1	General	143			
4.2.2	Effective span of elements	143			

4.6.5.3	Column links	155	10.9	Other methods	205
4.6.6	Anchorage bond	155	10.10	References	205
4.6.7	Laps and joints	155			
4.6.8	Hooks and bends	155	11	Composite action	207
4.6.9	Curtaiment and anchorage	155	11.1	Introduction	207
References		155	11.2	Treatment of composite action in published work	207
Section 5: Design of prestressed masonry		156	11.3	The principle of composite action	208
Section 6: Other design considerations		156	11.4	Limitations of design	209
6.1	Durability	156	11.5	References	210
6.1.1	Masonry units and mortars	156	11.6	Bibliography	211
6.1.2	Resistance to corrosion of metal components	157	12	The thermal performance of masonry walls	213
6.1.2.1	General	157	12.1	Background to the Regulations	213
6.1.2.2	Classification of exposure situations	158	12.1.1	The Building Regulations 1965 and 1972	213
6.1.2.3	Exposure situations requiring special attention	158	12.1.2	The Building Regulations 1985 and 1991	213
6.1.2.4	Effect of different masonry units	158	12.2	Condensation	215
6.1.2.5	Concrete infill	158	12.3	Approved constructions	215
6.1.2.6	Cover	158	12.3.1	Summary	217
6.1.2.7	Prestressing tendons	159	12.4	Typical constructions	217
6.1.2.8	Wall ties	159	12.4.1	Cavity walls retaining a clean cavity	217
6.2	Fire resistance	159	12.4.1.1	Standard thickness masonry	217
6.3	Movement	159	12.4.1.2	Increasing block thickness	219
6.4	Spacing of wall ties	159	12.4.2	Cavity walls with filled cavity	219
6.5	Drainage and waterproofing	159	12.4.3	Solid walls	219
6.6	Damp-proof courses and copings	159	12.5	An explanation of λ , R and U-values	221
Section 7: Work on site		160	12.5.1	Thermal conductivity	221
7.1	Materials	160	12.5.2	Thermal resistance	221
7.2	Construction	161	12.5.3	Thermal transmittance	222
7.2.1	General	161	12.6	Calculation procedures	222
7.2.2	Grouted cavity construction	161	12.6.1	Single leaf wall	222
7.2.2.1	General	161	12.6.2	Double leaf (cavity) wall	222
7.2.2.2	Low lift	161	12.6.3	Effect of mortar joints	223
7.2.2.3	High lift	161	12.7	Calculation methods for multi-slotted blocks	223
7.2.3	Reinforced hollow blockwork	161	12.7.1	Approved method for multi-slotted blocks	224
7.2.3.1	General	161	12.8	Foam-filled blocks	225
7.2.3.2	Low lift	161	12.8.1	Condensation risk	225
7.2.3.3	High lift	161	12.8.2	Fire resistance	225
7.2.4	Quetta and similar band walls	162	12.8.3	Durability of the wall	225
7.2.5	Pocket type walls	162	12.8.4	Properties of the foams	225
7.2.6	Prestressing operations	162	12.9	Test methods for walling	226
7.2.7	Forming chases and holes and provision of fixings	162	12.10	Calculated worked examples	227
7.2.8	Jointing and pointing	162	12.10.1	Example 1 – Determination by basic approach	228
References		162	12.10.2	Example 2 – Determination by proportionate area method	228
9.3	Design examples	162	12.11	Combined method	229
Design charts		171	12.12	Effect of wall ties	229
10	Concentrated loads	197	12.13	References	229
10.1	Background	197	13	The resistance of concrete masonry to rain penetration	231
10.2	Code recommendations	199	13.1	Introduction	231
10.3	Permitted bearing stress	199			
10.4	Directly beneath bearing	199			
10.5	End bearing	199			
10.6	Stresses at a distance below bearing	201			
10.7	End spreader in plane of wall	201			
10.8	Design of spreader	201			

13.2	Classification of exposure to wind driven rain	231	17.3.2.3	Related work	276
13.3	Standard method of test for walling	233	17.4	Enforcement of specifications	277
13.4	Alternative method of tests for walling	236	17.5	References	278
13.5	The suitability of various wall types to different exposure conditions	236	18	Blemishes, faults and problems	279
13.6	The suitability of various unit types	237	18.1	Introduction	279
13.7	Particular problems due to detailing and specification faults	240	18.2	Cracks in masonry	279
13.8	Remedial measures	241	18.3	Colour variation in walling	281
13.9	References	241	18.4	Stains on masonry	281
14	Sound insulation	243	18.4.1	Chemical cleaning	281
14.1	Introduction	243	18.4.1.1	Rust	281
14.2	Sound absorption and sound transmission	243	18.4.1.2	Oil	281
14.2.1	Sound absorption	244	18.4.1.3	Creosote	281
14.2.2	Sound transmission	244	18.4.1.4	Bitumen, asphalt and coal-tar products	281
14.3	Sound tests	244	18.4.1.5	Paints	282
14.3.1	Assessment of sound insulation	244	18.4.2	Mechanical cleaning	282
14.3.2	Measurement of sound transmission	244	18.5	Efflorescence and lime bloom	282
14.3.2.1	BS 2750 and BS 5821	244	18.6	Chemical attack	282
14.3.2.2	EN ISO 717	245	18.7	Rendering	283
14.4	Mass law	247	18.7.1	Materials	283
14.5	Statutory regulations	248	18.7.2	Preparation of background	283
14.6	Enhanced sound insulation	250	18.7.2.1	Dense, strong and smooth materials	283
14.7	Estimation of the sound insulation of walls	250	18.7.2.2	Moderately strong, porous materials	283
14.8	References	252	18.7.2.3	Moderately weak, porous materials	283
14.9	Bibliography	253	18.7.3	Mix proportions and thickness	283
15	Fire resistance	255	18.7.4	Curing	283
15.1	Basic principles	255	18.8	References	283
15.2	Elements of structure	255	19	European Standards for masonry products	285
15.3	Construction	257	19.1	Introduction	285
15.4	References	257	19.2	Standards for masonry units	285
15.5	Bibliography	257	19.2.1	Clay masonry units	286
16	Movement in masonry	259	19.2.2	Calcium silicate masonry units	286
16.1	Introduction	259	19.2.3	Aggregate concrete masonry units (Dense and light-weight aggregates)	286
16.2	Technical background	259	19.2.4	Autoclaved aerated concrete masonry units	286
16.3	Thermal movement	259	19.2.5	Manufactured stone masonry units	286
16.4	Moisture movement	260	19.2.6	Natural stone masonry units	287
16.5	Determination of total movement within a wall	261	19.3	Methods of test for masonry units	287
16.6	Accommodation of movement	262	19.3.1	Determination of compressive strength	287
16.7	Differential movement	267	19.3.2	Determination of percentage area of voids in aggregate concrete masonry units (by paper indentation)	288
16.8	References	267	19.3.3	Determination of net volume and percentage of voids of clay masonry units by hydrostatic weighting	288
16.9	Bibliography	268	19.3.4	Determination of real and bulk density and of total and open porosity for natural stone masonry units	288
17	Specification and workmanship	269			
17.1	Object of specifications	269			
17.2	Cross referencing specification/drawing	270			
17.3	Items for specification and general specification clauses	270			
17.3.1	Items for specification	272			
17.3.2	Specification clauses	272			
17.3.2.1	Materials and properties	272			
17.3.2.2	Workmanship	275			

19.3.5	Determination of the active soluble salts content of clay masonry units	288	19.5.3	Determination of consistence of fresh mortar (by flow table)	291
19.3.6	Determination of bending tensile strength of aggregate concrete masonry units	288	19.5.4	Determination of consistence of fresh mortar (by plunger penetration)	292
19.3.7	Determination of water absorption of clay masonry damp proof course units by boiling in water	288	19.5.5	Determination of bulk density of fresh mortar	292
19.3.8	Determination of volume and percentage of voids and net volume of calcium silicate masonry units by sand filling	288	19.5.6	Determination of air content of fresh mortar	292
19.3.9	Determination of moisture content of calcium silicate and autoclaved aerated concrete units	288	19.5.7	Determination of water retentivity of fresh mortar	292
19.3.10	Determination of water absorption of aggregate concrete, manufactured stone and natural stone units due to capillary action and the initial rate of water absorption of clay masonry units	289	19.5.8	Determination of workable life and correction time of fresh mortar	292
19.3.11	Determination of net and gross dry density of masonry units (except for natural stone)	289	19.5.9	Determination of dry bulk density of hardened mortar	292
19.3.12	Determination of moisture movement of aggregate concrete and manufactured stone masonry units	289	19.5.10	Determination of flexural and compressive strength of moulded mortar specimens	293
19.3.13	Determination of water vapour permeability of autoclaved aerated concrete masonry units	289	19.5.11	Determination of adhesive strength of hardened rendering and plastering mortars on substrates	293
19.3.14	Determination of dimensions	289	19.5.12	Determination of durability of hardened masonry mortars (with cement comprising greater than 50% of the total binder mass)	293
19.3.15	Determination of freeze-thaw resistance of calcium silicate masonry units	289	19.5.13	Determination of water-soluble chloride content of fresh mortars	293
19.3.16	Determination of moisture expansion of large horizontally perforated clay masonry units	290	19.5.14	Determination of water absorption coefficient due to capillary action of hardened rendering mortar	293
19.3.17	Determination of flatness of faces of aggregate concrete, manufactured stone and natural stone masonry units	290	19.5.15	Determination of water vapour permeability of hardened rendering and plastering mortars	294
19.3.18	Determination of freeze-thaw resistance of clay masonry units	290	19.5.16	Determination of durability of hardened masonry mortars (with cement comprising less than or equal to 50% of the total binder mass)	293
19.4	Standards for masonry mortars	290	19.5.17	Determination of the compatibility of one-coat rendering mortars with backgrounds through the assessment of adhesive strength and water permeability after conditioning	294
19.4.1	Rendering and plastering mortar with inorganic binding agents	290	19.6	Standards for ancillary components for masonry	294
19.4.2	Specification for mortar for masonry – Part 2: Masonry mortar	290	19.6.1	Ties, tension straps, hangers and brackets	294
19.5	Methods of test for masonry mortars	291	19.6.2	Lintels	294
19.5.1	Determination of particle size distribution (by sieve analysis)	291	19.6.3	Bed joint reinforcement	295
19.5.2	Bulk sampling of mortars and preparation of test mortars	291	19.7	Methods of test for ancillary components	295
			19.7.1	Determination of bond strength of bed joint reinforcement in mortar joints	295

19.7.2	Determination of shear load capacity of welds in prefabricated bed joint reinforcement	295	2	Basis of design, including loads and material properties	302
19.7.3	Determination of load capacity and load-deflection characteristics of straps	296	2.1	General	302
19.7.4	Determination of tensile and compressive load capacity and load displacement characteristics of wall ties (complete test)	296	2.2	Loading codes	302
19.7.5	Determination of tensile and compressive load capacity and load displacement characteristics of wall ties (single end test)	296	2.3	Limit states	303
19.7.6	Determination of shear load capacity and load displacement characteristics of shear ties and slip ties (complete test for mortar joint connections)	296	2.4	Types of action	303
19.7.7	Determination of load capacity and load deflection characteristics of joist hangers	296	2.5	Design situations	303
19.7.8	Determination of flexural resistance and shear resistance of lintels	296	2.6	Characteristic values of actions	303
19.7.9	Determination of load capacity and load deflection characteristics of brackets	297	2.7	Partial factors for actions	304
19.7.10	Determination of dimensions and how of lintels	297	2.8	Partial safety factors for actions	304
19.7.11	Determination of resistance to impact, abrasion and corrosion of organic coatings	297	2.9	Coefficients for representative values of actions	304
19.8	Test methods for masonry	297	2.10	Expressions for design values of actions	305
19.8.1	Determination of compressive strength	297	2.11	Ultimate limit states	305
19.8.2	Determination of flexural strength	297	2.12	Serviceability limit states	306
19.8.3	Determination of initial shear strength	298	2.13	Material properties	306
19.8.4	Determination of shear strength including damp proof course	298	2.14	Stability and robustness	306
19.8.5	Determination of bond strength	298	3	Materials	307
19.9	Other design guidance	298	3.1	Masonry units	307
19.9.1	Methods for determining design thermal values	298	3.1.1	Types	307
19.9.2	External renderings	298	3.1.2	Compressive strength	307
19.9.3	Internal plastering	299	3.2	Mortar	309
20	Design in accordance with Eurocode 6	301	3.3	Concrete infill	309
Note: The numbering of the sections in this chapter corresponds to the numbering of Eurocode 6 (ENV 1996-1-1)			3.4	Reinforcing steel	309
1	Introduction	301	3.5	Prestressing steel	309
1.1	General	301	3.6	Mechanical properties of unreinforced masonry	309
1.2	Scope of Eurocode 6	301	3.6.1	General	309
1.3	Scope of Part 1-1 of Eurocode 6	301	3.6.2	Characteristic compressive strength f_k	311
1.4	Further parts of Eurocode 6	301	3.6.2.1	f_k with general purpose mortar	311
			3.6.2.2	f_k with thin layer mortar	311
			3.6.2.3	f_k with lightweight mortar	312
			3.6.2.4	f_k with shelf bedding	312
			3.6.3	Characteristic shear strength f_{vk}	312
			3.6.4	Characteristic flexural strength f_{sk}	313
			3.7	Mechanical properties of reinforced, prestressed and confined masonry	314
			3.8	Deformation properties of masonry	314
			3.8.1	Stress/strain relationship	314
			3.8.2	Modulus of elasticity, E	314
			3.8.3	Shear modulus, G	314
			3.8.4	Creep	314
			3.8.5	Moisture expansion or shrinkage	314
			3.8.6	Thermal expansion	314
			3.9	Ancillary components	314
			3.9.1	Damp proof courses	314
			3.9.2	Wall ties, straps, brackets, hangers and support angles	314
			3.9.3	Prefabricated lintels	314
			3.9.4	Prestressing devices	314
			4	Design of masonry	314
			4.1	General	314

4.2	Unreinforced masonry walls subjected to vertical loading	315	4.6.1.3	Slenderness ratio of vertically loaded elements	325
4.2.1	Principles of design	315	4.6.1.4	Flanged members	
4.2.2	Design load	315	4.6.1.5	Verification of reinforced masonry members subjected to bending and/or axial load	325
4.2.3	Design strength of masonry	315	4.6.2	Reinforced masonry members subjected to shear	326
4.2.4	Design	315	4.6.2.1	General	326
4.2.5	The reduction factor for slenderness and eccentricity	316	4.6.2.2	Verification of members ignoring shear reinforcement	326
4.2.5.1	The reduction factor for eccentricity at the top or bottom of the wall	316	4.6.2.3	Verification of members taking into account steel reinforcement	328
4.2.5.2	Reduction for slenderness in the middle height of the wall	316	4.6.3	Reinforced masonry deep beams subjected to vertical loading	328
4.2.6	Effective height of walls	317	4.6.3.1	General	328
4.2.7	Effective thickness of walls	317	4.6.3.2	Verification of deep beams subjected to vertical loading	328
4.2.8	Eccentricity at right angles to the wall	318	4.6.3.3	Composite lintels	328
4.2.8.1	Calculation of structural eccentricity (Clause 4.4.7.1 and Annex C)	318	4.7	Prestressed masonry	328
4.2.8.2	Creep eccentricity	319	4.7.1	General	328
4.2.8.3	Accidental eccentricity (Clause 4.4.7 2)	319	4.7.2	Prestressed masonry members under the serviceability limit state	329
4.2.8.4	Eccentricity due to horizontal loads	319	4.7.3	Prestressed members under the ultimate limit state	329
4.2.9	Chases, recesses and openings	320	4.7.3.1	Partial safety factors	329
4.3	Concentrated loading	320	4.7.3.2	Bending strength under the ultimate limit state	329
4.3.1	General	320	4.7.3.3	Axial strength at the ultimate limit state	330
4.3.2	Design according to DD ENV 1996-1-1	320	4.7.3.4	Shear strength at the ultimate limit state	330
4.4	Unreinforced masonry shear walls	321	4.7.4	Other design matters	330
4.4.1	General	321	4.7.4.1	Maximum initial prestress and bearing stress	330
4.4.2	Analysis of shear walls	321	4.7.4.2	Loss of prestress	330
4.4.3	Verification of walls	321	5	Structural detailing	331
4.5	Unreinforced walls subjected to lateral loads	322	5.1	Introduction	331
4.5.1	General	322	5.2	Masonry materials	331
4.5.2	The effect of chases and recesses	322	5.3	Minimum thickness of walls	331
4.5.3	The effect of damp proof courses	322	5.4	Bonding of masonry	331
4.5.4	Support conditions and continuity	322	5.5	Mortar joints	331
4.5.5	Cavity wall construction	323	5.6	Protection of reinforcing steel	331
4.5.6	Method of design for a wall supported along edges	323	5.7	Minimum area of reinforcement	331
4.5.7	Effect of vertical loads	323	5.8	Size of reinforcement	331
4.5.8	Design moment of lateral resistance of a masonry wall	323	5.9	Anchorage and laps	331
4.5.9	Movement and movement joints in laterally loaded walls	324	5.10	Shear reinforcement	331
4.5.10	Method for design of arching between supports	324	5.11	Confined masonry	332
4.6	Reinforced masonry	325	5.12	Connection of walls	332
4.6.1	Members subjected to bending, bending and axial load or axial load	325	5.13	Vertical chases and recesses	332
4.6.1.1	General	325	5.14	Thermal and long-term movement	332
4.6.1.2	Effective and limiting spans	325	5.15	Masonry below ground	332
			5.16	Prestressing details	332

6	Construction	332			
6.1	General	332			
6.2	Masonry units	332			
6.3	Handling and storage of masonry units and other materials	332			
6.4	Mortar and concrete infill	333			
6.5	Construction of masonry; connection of walls; fixing reinforcement	333			
6.6	Protection of newly constructed masonry	333			
6.7	Permissible deviations in masonry	333			
6.8	Category of execution	333			
6.9	Other construction matters	333			
6.10	Prestressing steel and accessories	333			
7	Example calculations	336			
7.1	Unreinforced masonry design example 1 – 4 storey domestic house	336			
7.1.1	Actions	336			
7.1.2	Design of wall D (350 mm thick cavity wall)	336			
7.1.3	Design of wall C (200 mm thick solid brickwork)	338			
			7.1.4	Design check on bearing of 400 × 280 mm reinforced concrete beam at third floor level on 200 mm loadbearing internal wall	339
			7.1.5	Design of inner loadbearing leaf of ground storey wall B (302.5 mm cavity wall)	340
			7.1.6	Design of inner leaf of top storey of Wall B (302.5 mm cavity wall)	341
			7.2	Reinforced masonry design example 1 – reinforced brickwork cantilever pocket-type retaining wall	342
			7.3	Reinforced masonry design example 2 – reinforced hollow concrete blockwork short and slender column subjected to single axis bending	344
			7.4	Reinforced masonry design example 3 – reinforced brickwork simply supported beam	345
			Index		349