


STRUCTURAL FOUNDATION DESIGNERS' MANUAL



W.G. CURTIN, G. SHAW, G.I. PARKINSON
& J.M. GOLDING

SECOND EDITION REVISED BY
N.J. SEWARD



Contents

Preface	x	1.11.3 Example 8: Reliability of the soils investigation	13
Preface to First Edition	xii	1.11.4 Example 9: Deterioration of ground exposed by excavation	13
The Book's Structure and What It Is About	xiii	1.11.5 Example 10: Effect of new foundation on existing structure	14
Acknowledgements	xiv	1.12 Design procedures	14
Authors' Biographies	xv	1.13 References	14
Notation	xvi		
PART 1: APPROACH AND FIRST CONSIDERATIONS	1	2 Soil Mechanics, Lab Testing and Geology	15
1 Principles of Foundation Design	3	A: Soil mechanics	15
1.1 Introduction	3	2.1 Introduction to soil mechanics	15
1.2 Foundation safety criteria	3	2.2 Pressure distribution through ground	15
1.3 Bearing capacity	4	2.3 Bearing capacity	17
1.3.1 Introduction	4	2.3.1 Introduction to bearing capacity	17
1.3.2 Bearing capacity	4	2.3.2 Main variables affecting bearing capacity	19
1.3.3 Presumed bearing value	4	2.3.3 Bearing capacity and bearing pressure	19
1.3.4 Allowable bearing pressure	5	2.3.4 Determination of ultimate bearing capacity	20
1.3.5 Non-vertical loading	5	2.3.5 Safe bearing capacity – cohesionless soils	21
1.4 Settlement	6	2.3.6 Safe bearing capacity – cohesive soils	22
1.5 Limit state philosophy	7	2.3.7 Safe bearing capacity – combined soils	22
1.5.1 Working stress design	7	2.4 Settlement	22
1.5.2 Limit state design	7	2.4.1 Introduction to settlement	22
1.6 Interaction of superstructure and soil	8	2.4.2 Void ratio	23
1.6.1 Example 1: Three pinned arch	8	2.4.3 Consolidation test	23
1.6.2 Example 2: Vierendeel superstructure	8	2.4.4 Coefficient of volume compressibility	24
1.6.3 Example 3: Prestressed brick diaphragm wall	8	2.4.5 Magnitude and rate of settlement	25
1.6.4 Example 4: Composite deep beams	9	2.4.6 Settlement calculations	25
1.6.5 Example 5: Buoyancy raft	9	2.5 Allowable bearing pressure	26
1.7 Foundation types	9	2.6 Conclusions	26
1.7.1 Pad foundations	10	B: Laboratory testing	26
1.7.2 Strip footings	10	2.7 Introduction to laboratory testing	26
1.7.3 Raft foundations	10	2.8 Classification (disturbed sample tests)	26
1.7.4 Piled foundations	11	2.8.1 Particle size and distribution	26
1.8 Ground treatment (geotechnical processes)	11	2.8.2 Density	27
1.9 Changes of soil properties during excavation	12	2.8.3 Liquidity and plasticity	29
1.10 Post-construction foundation failure	12	2.8.4 General	29
1.11 Practical considerations	13	2.9 Undisturbed sample testing	29
1.11.1 Example 6: Excavation in waterlogged ground	13	2.9.1 Moisture content	29
1.11.2 Example 7: Variability of ground conditions	13	2.9.2 Shear strength	29
		2.9.3 Consolidation tests (oedometer apparatus)	29

2.9.4	Permeability tests	32	3.7	Recording information – trial pit and borehole logs and soil profiles	55
2.9.5	Chemical tests	32	3.8	Soil samples and soil profiles	56
2.10	Summary of tests	32	3.9	Preliminary analysis of results	56
2.11	Analysis of results	37	3.10	Site investigation report	61
2.12	Final observations on testing	37	3.10.1	Factors affecting quality of report	61
C: Geology		37	3.10.2	Sequence of report	62
2.13	Introduction to geology	37	3.10.3	Site description	62
2.14	Formation of rock types	38	3.10.4	The ground investigation	62
2.15	Weathering of rocks	38	3.10.5	Results	62
2.16	Agents of weathering	38	3.10.6	Recommendations	62
2.16.1	Temperature	38	3.11	Fills (made ground)	63
2.16.2	Water	38	3.12	Legal issues	63
2.16.3	Wind	38	3.13	Time	64
2.16.4	Glaciation	38	3.14	Conclusions	64
2.17	Earth movement	38	3.15	Further information	65
2.17.1	Folds, fractures and faults	38	3.16	References	65
2.17.2	Dip and strike	39			
2.17.3	Jointing	39	PART 2: SPECIAL AND FURTHER CONSIDERATIONS		67
2.17.4	Drift	39			
2.18	Errors in borehole interpretation	40	4 Topography and its Influence on Site Development		69
2.19	Geophysical investigation	42	4.1	Introduction	69
2.20	Expert knowledge and advice	42	4.2	Implications from surface observations	69
2.21	References	42	4.2.1	Changes in level, ground slopes and movements	69
3 Ground Investigation		43	4.2.2	Mounds, depressions and disturbed ground	70
3.1	Introduction	43	4.2.3	Past or current activities	71
3.2	The need for investigation	44	4.2.4	Vegetation	72
3.2.1	The designer's need	44	4.2.5	Surface ponding or watercourses	72
3.2.2	The contractor's need	45	4.3	Effects on development arising from topographical features	73
3.2.3	The client's need	45	4.3.1	Sloping sites	73
3.2.4	Site investigation for failed, or failing, existing foundations	45	4.3.2	Slope stability	75
3.3	Procedure	45	4.3.3	Groundwater	77
3.3.1	Site survey plan	47	4.3.4	Settlement	78
3.3.2	Study of existing information	47	4.4	Summary	79
3.3.3	Preliminary site reconnaissance and site <i>walkabout</i>	47	4.5	References	79
3.4	Soil investigation	48	5 Contaminated and Derelict Sites		80
3.4.1	Borehole layout	48	5.1	Introduction	80
3.4.2	Trial pits layout	49	5.1.1	State of the art	80
3.4.3	Hand augers	50	5.1.2	Contamination implications	81
3.4.4	Boring	50	5.2	Redundant foundations and services	82
3.4.5	Backfilling of trial pits and boreholes	50	5.2.1	Identification	83
3.4.6	Soil sampling	50	5.2.2	Sampling and testing	83
3.4.7	Storage of samples	50	5.2.3	Site treatment	83
3.4.8	Frequency of sampling	50	5.3	Chemical and toxic contamination	83
3.4.9	Appointment of specialist soil investigator	51	5.3.1	Part IIA risk-based approach	83
3.5	Site examination of soils	52	5.3.2	Soil Guideline Values	84
3.6	Field (site) testing of soils	52	5.3.3	CLEA Model	84
3.6.1	Standard Penetration Test (SPT)	52	5.3.4	Risk to humans and animals	85
3.6.2	Vane test	52	5.3.5	Risks to plants and the wider ecosystem	89
3.6.3	Plate bearing test	53	5.3.6	Risk to the water environment	89
3.6.4	Pressuremeters	53	5.3.7	Risk to buildings and construction materials	89
3.6.5	Groundwater (piezometers and standpipes)	53			
3.6.6	Other field tests	55			

5.3.8	Toxic contamination – site identification	91	6.12	Monitoring	107
5.3.9	Contaminant investigation	91	6.13	References	107
5.3.10	Sampling and testing	92	7	Fill	108
5.3.11	Site treatment	92	7.1	Filled sites	108
5.4	Foundation protection	93	7.1.1	Introduction	108
5.5	Examples of site investigations on potentially contaminated sites	94	7.1.2	Movement and settlement	108
5.6	References	94	7.2	The container	108
6	Mining and Other Subsidence	95	7.2.1	The container surface	108
6.1	Introduction	95	7.2.2	The container edges	108
6.2	Mechanics of mining subsidence	95	7.2.3	The container base	110
6.3	Methods of mining	97	7.2.4	The container sub-strata	110
6.3.1	Longwall workings	97	7.3	Water	111
6.3.2	Pillar and stall workings (partial extraction methods)	97	7.3.1	Effect of water on combustion	111
6.3.3	'Bell-pits'	99	7.3.2	Effect of water on chemical solutions	111
6.4	Associated and other workings	100	7.3.3	Water lubrication	111
6.4.1	Abandoned mine shafts and adits	100	7.3.4	Water inundation	111
6.4.2	Fireclay and other clays	100	7.3.5	Organic decay	111
6.4.3	Iron ores	100	7.3.6	Information from water	111
6.4.4	Other metals	100	7.4	The fill material	111
6.4.5	Limestone	100	7.4.1	Introduction	111
6.4.6	Salt	100	7.5	Fill investigations	112
6.4.7	Chalk	100	7.5.1	Special requirements	112
6.5	Faulting	100	7.5.2	Suggested procedures	113
6.6	Natural and other cavities	100	7.6	Settlement predictions	113
6.6.1	<i>Dissolving</i> rock	100	7.6.1	Settlement: fill only	113
6.6.2	<i>Dissolving</i> soils	100	7.6.2	Settlement: combined effects	115
6.7	Treatment of abandoned shallow workings	100	7.7	The development and its services	116
6.7.1	Introduction	100	7.7.1	Sensitivity	116
6.7.2	Excavate and backfill	101	7.7.2	Treatment and solutions	117
6.7.3	Partial and full grouting	101	7.7.3	New filling for development	118
6.8	Treatment of abandoned shafts	101	7.8	Case examples	118
6.8.1	Capping	101	7.8.1	Introduction	118
6.9	Effect of mining method and method of treatment	101	7.8.2	Example 1: Movement of existing building on fill	118
6.9.1	Introduction	101	7.8.3	Example 2: New development on existing colliery fill	119
6.9.2	Bell workings	101	7.8.4	Example 3: New development on new filling	120
6.9.3	Pillar and stall	102	7.8.5	Example 4: New developments on existing preloaded fill	120
6.9.4	Longwall workings	103	7.8.6	Example 5: New development on existing backfilled quarry (purchase of coal rights)	121
6.9.5	Rafts founded over longwall workings	103	7.8.7	Example 6: Development on new fill (prevention of flooding)	122
6.10	Design principles and precautions in longwall mining subsidence areas	103	7.9	References	123
6.10.1	Introduction	103	7.10	Further reading	123
6.10.2	Rafts and strips for low-rise, lightly loading buildings	104	8	Ground Improvement Methods	124
6.10.3	Rafts for multi-storey structures or heavy industrial buildings	105	8.1	Introduction	124
6.10.4	Jacking points	105	8.2	Surface rolling	124
6.10.5	Service ducts	105	8.2.1	Introduction	124
6.10.6	Piling	105	8.2.2	Method	124
6.10.7	Articulated foundation	105	8.2.3	Soil suitability and variation	125
6.11	Superstructures	106	8.2.4	Site monitoring	125
6.11.1	Introduction	106	8.3	Vibro-stabilization	126
6.11.2	Rigid superstructures	106	8.3.1	Introduction	126
6.11.3	Flexible superstructures	106	8.3.2	Working surfaces	127

11.1.6	Design Example 2: Deep mass concrete pad base	192	12.3.1	Introduction	230
11.1.7	Unreinforced concrete strips	193	12.3.2	Design decisions	230
11.2	Reinforced concrete pads and strips	194	12.3.3	Sizing up the design	230
11.2.1	Introduction	194	12.3.4	Design Example 2: Rectangular balanced foundation	232
11.2.2	Design decisions	194	12.3.5	Design Example 3: Cantilever balanced foundation	233
11.2.3	Sizing up of the design	194	12.3.6	Design Example 4: Trapezoidal balanced foundation	235
11.2.4	Design Example 3: Reinforced strip foundation	195	12.3.7	Design Example 5: Holed balanced foundation	236
11.2.5	Design Example 4: Reinforced pad base	198			
11.3	Pad foundations with axial loads and bending moments	200	13	Raft Foundations	238
11.3.1	Design Example 5: Pad base – axial load plus bending moment (small eccentricity)	201	13.1	Design procedures for semi-flexible rafts	238
11.3.2	Design Example 6: Pad base – axial load plus bending moment (large eccentricity)	202	13.1.1	Design principles	238
11.3.3	Design Example 7: Pad base – axial load plus bending moments about both axes	206	13.1.2	Design of raft layouts	238
11.3.4	Design Example 8: Pad base – axial and horizontal loads	207	13.1.3	Bearing pressure design	239
11.3.5	Design Example 9: Shear wall base – vertical loads and horizontal wind loads	209	13.1.4	Design span for local depressions	240
11.4	Rectangular and Tee-beam continuous strips	212	13.1.5	Slab design	240
11.4.1	Introduction	212	13.1.6	Beam design	243
11.4.2	Design decisions	212	13.2	Nominal crust raft – semi-flexible	245
11.4.3	Sizing of the design	212	13.2.1	Design decisions	245
11.4.4	Design Example 10: Continuous Tee beam footing with uniform bearing pressure	213	13.2.2	Sizing the design	245
11.4.5	Design Example 11: Continuous rectangular beam footing with trapezoidal bearing pressure	217	13.2.3	Design Example 1: Nominal crust raft	249
11.5	Grillage foundations	221	13.3	Crust raft	251
11.5.1	Introduction	221	13.3.1	Introduction	251
11.5.2	Design decisions	221	13.3.2	Design decisions	251
11.5.3	Sizing of the design	221	13.3.3	Design Example 2: Crust raft	252
11.5.4	Design Example 12: Grillage foundation	221	13.4	Blanket raft	256
11.6	Floating slabs (ground slabs)	224	13.4.1	Introduction	256
11.6.1	Introduction	224	13.4.2	Design decisions	257
11.6.2	Design decisions	224	13.4.3	Sizing the design	257
11.6.3	Sizing of the slab	225	13.4.4	Design Example 3: Blanket raft	257
11.6.4	Design Example 13: Floating slab	225	13.5	Slip sandwich raft	261
11.7	References	226	13.5.1	Introduction	261
12	Tied and Balanced Foundations	228	13.5.2	Design decisions	262
12.1	General introduction	228	13.5.3	Sizing the design	262
12.2	Tied foundations	228	13.5.4	Design Example 4: Slip sandwich raft	263
12.2.1	Introduction	228	13.6	Cellular raft	265
12.2.2	Design decisions	228	13.6.1	Introduction	265
12.2.3	Sizing the foundations	228	13.6.2	Sizing the design	265
12.2.4	Design Example 1: Tied portal frame base	229	13.6.3	Design Example 5: Cellular raft	266
12.3	Balanced foundations (rectangular, cantilever, trapezoidal and holed)	230	13.7	Lidded cellular raft	270
			13.7.1	Introduction	270
			13.7.2	Sizing the design	271
			13.7.3	Design Example 6: Lidded cellular raft	271
			13.8	Beam strip raft	271
			13.8.1	Introduction	271
			13.8.2	Sizing the design	271
			13.8.3	Design Example 7: Beam strip raft	272
			13.9	Buoyancy raft	272
			13.9.1	Introduction	272
			13.9.2	Sizing the design	274
			13.9.3	Design Example 8: Buoyancy raft	274
			13.10	Jacking raft	276
			13.10.1	Introduction	276
			13.10.2	Sizing the design	276
			13.11	References	276

14	Piles	277	15	Retaining Walls, Basement Walls, Slip Circles and Underpinning	304
14.1	Introduction	277	15.1	Introduction	304
14.2	Applications	277	15.2	Retaining walls and basements	304
14.3	Types of piles	278	15.3	Stability	305
14.3.1	Load-bearing characteristics	278	15.4	Flotation	306
14.3.2	Materials	278	15.5	Buoyancy	306
14.4	Methods of piling	283	15.6	Pressures	307
14.4.1	Driven piles	283	15.6.1	Liquid pressure	307
14.4.2	Driven cast-in-place piles	283	15.6.2	Earth pressure	307
14.4.3	Bored cast-in-place piles	283	15.6.3	Surcharge	307
14.4.4	Screw piles	284	15.7	Slip circle example	307
14.4.5	Jacked piles	284	15.8	Continuous underpinning	308
14.4.6	Continuous flight auger piles	284	15.9	Discontinuous underpinning	310
14.4.7	Mini or pin piles	284	15.10	Spread underpinning	311
14.5	Choice of pile	284	15.11	References	311
14.5.1	Ground conditions and structure	285			
14.5.2	Durability	285			
14.5.3	Cost	285			
14.6	Design of piled foundations	285	Appendices		313
14.6.1	Factor of safety	285	Introduction to appendices		313
14.6.2	Determination of ultimate bearing capacity	286	Appendix A: Properties and Presumed Bearing Pressures of Some Well Known Engineering Soils and Rocks		314
14.6.3	Pile loading tests	288	Appendix B: Map Showing Areas of Shrinkable Clays In Britain		317
14.6.4	Pile groups	288	Appendix C: Map Showing Areas of Coal and Some Other Mineral Extractions		318
14.6.5	Spacing of piles within a group	289	Appendix D: Foundation Selection Tables		319
14.6.6	Ultimate bearing capacity of group	289	Appendix E: Guide to Use of Ground Improvement		322
14.6.7	Negative friction	289	Appendix F: Tables Relating to Contaminated Sites/Soils		325
14.7	Pile caps	289	Appendix G: Factors of Safety		341
14.7.1	Introduction	289	Appendix H: Design Charts for Pad and Strip Foundations		343
14.7.2	The need for pile caps – capping beams	290	Appendix J: Table of Ground Beam Trial Sizes		348
14.7.3	Size and depth	290	Appendix K: Design Graphs and Charts for Raft Foundations Spanning Local Depressions		349
14.8	Design of foundations at pile head	291	Appendix L: Table of Material Frictional Resistances		357
14.9	Design examples	293	Appendix M: Cost Indices for Foundation Types		358
14.9.1	Design Example 1: Calculation of pile safe working loads	293	Appendix N: Allowable Bearing Pressure for Foundations on Non-Cohesive Soil		359
14.9.2	Design Example 2: Pile cap design	295			
14.9.3	Design Example 3: Piled ground beams with floating slab	296			
14.9.4	Design Example 4: Piled ground beams with suspended slab	299			
14.9.5	Design Example 5: Piled foundation with suspended flat slab	300			
14.10	References	303	Index		361